

CLAY SPRINGS ELEMENTARY SCHOOL

Project Name: CLAY SPRINGS ELEMENTARY SCHOOL
555 NORTH WEKIWA SPRINGS RD
APOPKA, FL 32712

County: ORANGE

Architect: RHODES+BRITO ARCHITECTS
Engineer: ADVANCED STRCTURAL DESIGN
Customer: Unknown Customer

Estimator:
Creation Date: 7/3/2014
Last Modified: 7/3/2014
Status: Complete

Job Type: Lump Sum
Product Line: REBARS
Market Category: Other

Escalation: No

Cover Page Comments:

Grade: 60 Black, Domestic (or) Non-Domestic Rebars.

Addendums: NONE

Specs:
Supports:
(X) For Mesh
(X) Plain () P.T. () Epoxy (X) Other
Couplers:
() Mechanical () DBR's () Lenton

Standees: YES
Spirals: NO
() Smooth () Deformed (X) A615 () A432

Inculsions:
1.Column footing with pier,Wall footing,Slab on grade,Upper level deck slab,
Tiltup panel & Site work.

Assumptions:
1. We assume Slab on grade & 2nd flr composite metal deck Slab
reinforcement as #4 @ 16" O.C EW instead of 6X6-W2.9XW2.9 WWF
2. We assume Conc sidewalk reinforcement as #3 @ 18" OC EW
3. We assume Conc pavement reinforcement as #3 @ 18" OC EW
4. We assume Conc Dumpster pad reinforcement as #4 @ 12" OC EW

CLAY SPRINGS ELEMENTARY SCHOOL

Exclusions:

- 1. Rebar Welded to Structural Steel.
- 2. Storm sewer and Electrical structures are not listed in quote.
- 3. Precast structures, Manhole, Inlets, Etc., If any.
- 4. Cmu walls (Unable to find the locations)

Quote Basis: Lump Sum

Drawing References:

PROJECT DRAWINGS:

CIVIL PLANS: CD101,CD102,C100,C101,C201,C211,C301,C401,C500,
C501,C502,C503,C504,C505,C506 & C507

STRUCTURAL PLANS: S001,S002,S003,S004,S101,S102,S103,S201,S202,
S203,S204,S211,S212,S221,S222,S223,S301,S302,
S303,S304,S305,S306,S307,S308,S309,S310,S311,
S312,S313,S314,S315,S501,S502,S503,S504,S505,
S506,S507,S508,S509,S510 & S511

ARCHITECTURAL PLANS: A100,A101,A102,A111,A112,A115,A116,A117,A118,
A201,A202,A203,A211,A212,A221,A222,A223,A231,
A232,A240,A260,A261,A262,A263,A271,A301,A302,
A361,A362,A401,A402,A403,A404,A405,A501,A502,
A503,A504,A505,A601,A602,A610,A621,A701,A702,
A703,A711,A715,A800,A801,A802,A803,A811,A812,
A831,A835,A836,A837,A841,A842,A843,A851,ID100,
ID201,ID202,ID203,ID211,ID212,ID221,ID222,ID223,
ID231,ID232,AF101,AF102,AF103,AF104 & AF105

ALL DATED 06-11-2014.

Estimate Defaults

Size Unit: Imperial	Building Code: ACI 1983
Length Unit: Feet - Inches	Concrete Strength: 3000
Weight Unit: Pounds	Lap Table:
Soft Hooks: No	Estimating Lap: 40D
Seismic Hooks: No	Steel Manufactured In: ANY
	Tie Clearance: 0-012
	Spiral Clearance: 0-03
	Spacing Tolerance: 0-00
Rebar Coating: Black	Rebar Grade: 60
Plain Coating: Black	Plain Grade: 60
Number of lap lengths to extend a stock bar before lapping: 1	

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1	MT	COLUMN FOOTING WITH PIER																	
2	MT	AREA - 1																	
3	MT	MARK = F-4.0																	
4	TR	BF		60	5*2				16/5	S	4-00							42	5 #5 EW BOT
5	MT	MARK = F-5.0																	
6	TR	BF		60	6*2			2	16/5	S	5-00							125	6 #5 EW BOT
7	MT	MARK = F - 8.0																	
8	TR	BF		60	9*2			9	16/5	S	8-00							1,352	9 #5 EW BOT
9	MT	MARK = F - 8.5																	
10	TR	BF		60	10*2			2	16/5	S	8-06							355	10 #5 EW BOT
11	MT	MARK = F-9.0																	
12	TR	BF		60	8*2			5	19/6	S	9-00							1,081	8 #6 EW BOT
13	MT	MARK = F-6.0X12.0																	
14	TR	BF		60	14*2				16/5	S	6-00							175	14 #5 SW T&B
15	TR	BF		60	7*2				16/5	S	12-00							175	7 #5 LW T&B
16	TR	BF		60	6				13/4	L	4-10							19	#4 STANDEE
17	MT	MARK = P1																	
18	TR	BF		60	8				19/6	H	5-00							60	8 #6 D/V
19	TR	BF		60	4				10/3	L	8-00							12	#3 @8" O.C
20	MT	AREA - 2																	
21	MT	MARK = F-4.0																	
22	TR	BF		60	5*2			4	16/5	S	4-00							167	5 #5 EW BOT
23	MT	MARK = F-8.0																	
24	TR	BF		60	9*2			5	16/5	S	8-00							751	9 #5 EW BOT
25	MT	MARK = F-9.0																	
26	TR	BF		60	8*2			3	19/6	S	9-00							649	8 #6 EW BOT
27	MT	MARK = F-10.0																	
28	TR	BF		60	10*2				19/6	S	10-00							300	10 #6 EW BOT
29	MT	AREA - 3																	
30	MT	MARK = F-4.0																	
31	TR	BF		60	5*2				16/5	S	4-00							42	5 #5 EW BOT
32	MT	MARK = F-5.0																	
33	TR	BF		60	6*2				16/5	S	5-00							63	6 #5 EW BOT
34	MT	MARK = F-6.0																	
35	TR	BF		60	7*2			4	16/5	S	6-00							350	7 #5 EW BOT
36	MT	MARK = F - 8.5																	
37	TR	BF		60	10*2				16/5	S	8-06							177	10 #5 EW BOT
38	MT	MARK = F-9.0																	
39	TR	BF		60	8*2				19/6	S	9-00							216	8 #6 EW BOT

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
40	MT	MARK = F-9.5																		
41	TR	BF		60	8*2				19/6	S	9-06							228	8 #6 EW BOT	
42	MT	MARK = F-10.0																		
43	TR	BF		60	10*2			3	19/6	S	10-00							901	10 #6 EW BOT	
44	MT	WALL FOOTING																		
45	MT	AREA-1																		
46	MT	MARK-WF-2.0																		
47	TR	LS		60	3*2				16/5	S	305-00				1	57D	30-00	2,115	3 #5 CONT T&B	
48	TR	BF		60	3*2			5	16/5	H	6-00							188	#5 COR	
49	TR	BF		60	3*2			3	16/5	H	6-00							113	#5 INTER	
50	TR	BF		60	153				13/4	L	7-01							724	#4 @ 24" O.C STIRR	
51	MT	MARK-WF-2.5																		
52	TR	BF		60	3*2				16/5	S	14-03							89	3 #5 CONT T&B	
53	TR	BF		60	3*2				16/5	H	6-00							38	#5 INTER	
54	TR	BF		60	9				13/4	L	8-09							53	#4 @ 16" O.C STIRR	
55	MT	MARK-WF-3.0																		
56	TR	LS		60	4*2				16/5	S	442-00				1	57D	30-00	4,089	4 #5 CONT T&B	
57	TR	BF		60	4*2			9	16/5	H	6-00							451	#5 COR	
58	TR	BF		60	333				13/4	L	8-04							1,854	#4 @ 16" O.C STIRR	
59	MT	MARK-WF-4.0																		
60	TR	BF		60	4*2				16/5	S	19-00							159	4 #5 CONT T&B	
61	TR	BF		60	15				13/4	L	10-08							107	#4 @ 16" O.C STIRR	
62	MT	AREA-2																		
63	MT	MARK-WF-2.0																		
64	TR	LS		60	3*2				16/5	S	127-00				1	57D	30-00	870	3 #5 CONT T&B	
65	TR	BF		60	3*2			2	16/5	H	6-00							75	#5 COR	
66	TR	BF		60	3*2				16/5	H	6-00							38	#5 INTER	
67	TR	BF		60	65				13/4	L	6-04							275	#4 @ 24" O.C STIRR	
68	MT	MARK-WF-3.0																		
69	TR	LS		60	4*2				16/5	S	385-00				1	57D	30-00	3,563	4 #5 CONT T&B	
70	TR	BF		60	4*2			8	16/5	H	6-00							401	#5 COR	
71	TR	BF		60	290				13/4	L	8-04							1,614	#4 @ 16" O.C STIRR	
72	MT	MARK-WF-4.0																		
73	TR	BF		60	4*2				16/5	S	35-00							292	4 #5 CONT T&B	
74	TR	BF		60	27				13/4	L	10-08							192	#4 @ 16" O.C STIRR	
75	MT	AREA-3																		
76	MT	MARK-WF-2.0																		
77	TR	LS		60	3*2				16/5	S	203-00				1	57D	30-00	1,402	3 #5 CONT T&B	
78	TR	BF		60	3*2			3	16/5	H	6-00							113	#5 COR	

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes			
79	TR	BF		60	3*2				16/5	H	6-00							38	#5 INTER			
80	TR	BF		60	103				13/4	L	6-04							436	#4 @ 24" O.C STIRR			
81	MT	MARK-WF-2.5																				
82	TR	LS		60	3*2				16/5	S	132-00				1	57D	30-00	901	3 #5 CONT T&B			
83	TR	BF		60	101				13/4	L	7-04							495	#4 @ 16" O.C STIRR			
84	MT	MARK-WF-4.0																				
85	TR	BF		60	4*2				16/5	S	28-06							238	4 #5 CONT T&B			
86	TR	BF		60	23				13/4	L	10-08							164	#4 @ 16" O.C STIRR			
87	MT	AREA-4																				
88	MT	MARK-WF-3.0																				
89	TR	LS		60	4*2				16/5	S	43-00				1	57D	30-00	384	4-#5 CONT T&B			
90	TR	BF		60	4*2				16/5	H	6-00							50	#5 COR			
91	TR	BF		60	35				13/4	L	8-04							195	#4 @ 16" O.C STIRR			
92	MT	MARK-WF-4.0																				
93	TR	LS		60	4*2				16/5	S	204-00				1	57D	30-00	1,877	4 #5 CONT T&B			
94	TR	BF		60	4*2			2	16/5	H	6-00							100	#5 COR			
95	TR	BF		60	4*2			2	16/5	H	6-00							100	#5 INTER			
96	TR	BF		60	155				13/4	L	10-08							1,104	#4 @ 16" O.C STIRR			
97	MT	SLAB ON GRADE																				
98	MT	AREA - 1																				
99	MT	4" THICK SLAB ON GRADE = 21385 SQ.FT																				
100	TR	BF		60	1737				13/4	S	20-00							23,206	#4 @16" O.C EW			
101	TI	Pcs			1340				2" IHC WITH SAND PLATES									0	4" SLAB ON GRADE = 21385 SQ.FT			
102	MT	ELEVATER PIT																				
103	MT	SEC - (9/S502)																				
104	TR	BF		60	11*2				16/5	S	11-10							272	#5 @12 "O.C LW T&B			
105	TR	BF		60	13*2				16/5	S	10-00							271	#5 @12 "O.C SW T&B			
106	TR	BF		60	8				13/4	L	5-00							27	#4 STANDEE			
107	TR	BF		60	37				16/5	H	8-02							315	#5 @12" O.C D/V			
108	TR	BF		60	6				16/5	S	36-00							225	#5 @12" O.C HOR			
109	TR	BF		60	6			4	16/5	H	3-00							75	#5 COR			
110	TR	BF		60	1				16/5	S	36-00							38	1-#5 CONT			
111	TR	BF		60	1			4	16/5	H	3-00							13	#5 COR			
112	TR	BF		60	19				16/5	H	4-00							79	#5 @24" O.C DWL			
113	MT	SUMP PIT																				
114	TR	BF		60	3*2				16/5	H	4-06							28	3-#5 EW BOT			
115	MT	SEC - (6/S503)																				
116	TR	BF		60	2				16/5	S	35-00							73	2-#5 CONT			
117	MT	SEC - (1/S503)																				

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
118	TR	BF		60	2				16/5	S	20-00							42	2-#5 CONT	
119	MT	SEC - (6/S502)																		
120	TR	BF		60	1*2				16/5	S	28-00							58	1-#5 T&B	
121	TR	BF		60	2			10	13/4	S	5-00							67	2-#4 RE-ENTRANT	
122	MT	AREA - 2																		
123	MT	4" THICK SLAB ON GRADE = 13915 SQ.FT																		
124	TR	BF		60	1130				13/4	S	20-00							15,097	#4 @16" O.C EW	
125	TR	BF		60	2			4	13/4	S	5-00							27	2-#4 RE-ENTRANT	
126	TI	Pcs			870				2" IHC WITH SAND PLATES									0	4" SLAB ON GRADE = 13915 SQ.FT	
127	MT	SEC - (1/S503)																		
128	TR	BF		60	2				16/5	S	12-00							25	2-#5 CONT	
129	MT	SEC - (6/S502)																		
130	TR	BF		60	1*2				16/5	S	14-00							29	1-#5 T&B	
131	MT	SEC - (1/S510)																		
132	TR	BF		60	2*2			4	19/6	H	24-00							577	2-#6 HAIRPIN	
133	MT	AREA - 3																		
134	MT	4" THICK SLAB ON GRADE = 17635 SQ.FT																		
135	TR	BF		60	1433				13/4	S	20-00							19,145	#4 @16" O.C EW	
136	TR	BF		60	2			2	13/4	S	5-00							13	2-#4 RE-ENTRANT	
137	TI	Pcs			1105				2" IHC WITH SAND PLATES									0	4" SLAB ON GRADE = 17635 SQ.FT	
138	MT	SEC - (3/S503)																		
139	TR	BF		60	2				16/5	S	30-00							63	2-#5 CONT BOT	
140	TR	BF		60	31				16/5	S	5-00							162	#5 @12" O.C ADDL	
141	TR	BF		60	37*3				13/4	H	1-00							74	#4 @10 "O.C VERT	
142	TR	BF		60	31				16/5	S	1-04							43	#5 D&E VERT DWL @12 "O.C	
143	TR	BF		60	37				13/4	S	2-06							62	#4 @10 "O.C SW	
144	TR	BF		60	3				13/4	S	30-00							60	#4 NOSING	
145	TR	BF		60	1				16/5	S	30-00							31	1-#5 CONT	
146	MT	SEC - (11/S501)																		
147	TR	BF		60	2				16/5	S	80-00							167	2-#5 CONT	
148	TR	BF		60	2			4	16/5	H	3-00							25	#5 COR	
149	MT	AREA - 4																		
150	MT	4" THICK SLAB ON GRADE = 1550 SQ.FT																		
151	TR	BF		60	126				13/4	S	20-00							1,683	#4 @16" O.C EW	
152	TR	BF		60	2			8	13/4	S	5-00							53	2-#4 RE-ENTRANT	
153	TI	Pcs			100				2" IHC WITH SAND PLATES									0	4" SLAB ON GRADE = 1550 SQ.FT	
154	MT	SEC - (10/S501)																		
155	TR	BF		60	10			2	13/4	S	17-06							234	#4 @12" O.C LW	
156	TR	BF		60	19			2	13/4	S	8-06							216	#4 @12" O.C SW	

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
157	MT	2ND FLOOR COMPOSITE METAL DECK SLAB																	
158	MT	AREA - 1																	
159	MT	5" THICK METAL DECK SLAB = 14000 SQ FT																	
160	TR	BF		60	1137				13/4	S	20-00							15,190	#4 @16" O.C EW
161	TI	Pcs			875				2½" HCM									0	5" METAL DECK SLAB=14000 SQ FT
162	MT	6" THICK CONCRET PAD = 160 SQ FT																	
163	TI	Sheets			4				6X6 W2.9XW2.9 WWF									0	6" CONCRETE PAD = 160 SQ FT
164	TR	BF		60	25				13/4	H	1-03							21	#4 @36"O.C D&E
165	MT	SEC 04/504																	
166	TR	BF		60	280				13/4	S	6-00							1,122	#4 @12"O.C ADDL
167	MT	SEC 12/504																	
168	TR	BF		60	150				13/4	S	2-00							201	#4 @12"O.C ADDL
169	MT	SEC 08/504																	
170	TR	BF		60	87				13/4	S	4-00							232	#4 @18"O.C ADDL
171	MT	SEC 06/504																	
172	TR	BF		60	23				16/5	S	4-00							96	#5 @12"O.C ADDL
173	MT	SEC 07/504																	
174	TR	BF		60	50				13/4	S	4-00							134	#4 @18"O.C ADDL
175	MT	SEC 06/506																	
176	TR	BF		60	1*2			4	16/5	S	11-01							92	1-#5 ADDL T&B
177	TR	BF		60	2*2			4	16/5	S	10-02							170	2-#5 ADDL BOT ES
178	TR	BF		60	1*2			5	16/5	S	17-00							177	1-#5 ADDL T&B
179	TR	BF		60	6			5	16/5	S	10-02							318	2-#5 ADDL BOT
180	MT	AREA - 2																	
181	MT	5" THICK METAL DECK SLAB = 14695 SQ FT																	
182	TR	BF		60	1194				13/4	S	20-00							15,952	#4 @16" O.C EW
183	TI	Pcs			920				2½" HCM									0	5" METAL DECK SLAB=14695 SQ FT
184	MT	6" THICK CONCRET PAD = 340 SQ FT																	
185	TI	Sheets			8				6X6 W2.9XW2.9 WWF									0	6" CONCRETE PAD = 340 SQ FT
186	TR	BF		60	51				13/4	H	1-03							43	#4 @36"O.C D&E
187	MT	SEC 04/504																	
188	TR	BF		60	186				13/4	S	6-00							746	#4 @12"O.C ADDL
189	MT	SEC 07/504																	
190	TR	BF		60	18				13/4	S	4-00							48	#4 @18"O.C ADDL
191	MT	SEC 08/504																	
192	TR	BF		60	22				13/4	S	4-00							59	#4 @18"O.C ADDL
193	MT	SEC 06/504																	
194	TR	BF		60	75				16/5	S	4-00							313	#5 @12"O.C ADDL
195	MT	SEC 06/506																	

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
196	TR	BF		60	1*2			2	16/5	S	11-01							46	1-#5 ADDL T&B
197	TR	BF		60	2*2			2	16/5	S	10-02							85	2-#5 ADDL BOT ES
198	TR	BF		60	1*2			3	16/5	S	17-00							106	1-#5 ADDL T&B
199	TR	BF		60	6			3	16/5	S	10-02							191	2-#5 ADDL BOT
200	MT	TILT-UP-PANEL																	
201	MT	MARK WP-1 (7¼" THICK)																	
202	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
203	TR	BF		60	2*2				16/5	S	25-01							105	2 #5 PERI T&B
204	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
205	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
206	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
207	TR	BF		60	2*2				16/5	S	15-02							63	2 #5 OPNG ADDL T&B
208	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
209	TR	BF		60	4*2				16/5	S	25-00							209	4 #5 CONT ADDL
210	TR	BF		60	15				16/5	S	32-00							501	#5 @12" O.C VERT
211	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
212	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
213	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
214	TR	BF		60	19				16/5	S	25-01							497	#5 @12" O.C HOR
215	TR	BF		60	12				16/5	S	17-01							214	#5 @12" O.C HOR
216	MT	MARK WP-2 (7¼" THICK)																	
217	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
218	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
219	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
220	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
221	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
222	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
223	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
224	TR	BF		60	4*2				16/5	S	24-06							204	4 #5 CONT ADDL
225	TR	BF		60	15				16/5	S	32-00							501	#5 @12" O.C VERT
226	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
227	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
228	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
229	TR	BF		60	12				16/5	S	17-03							216	#5 @12" O.C HOR
230	TR	BF		60	19				16/5	S	24-06							486	#5 @12" O.C HOR
231	MT	MARK WP-3 (7¼" THICK)																	
232	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
233	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
234	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
235	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
236	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
237	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
238	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
239	TR	BF		60	4			2	16/5	S	24-06							204	4 #5 CONT ADDL
240	TR	BF		60	15				16/5	S	32-00							501	#5 @12" O.C VERT
241	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
242	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
243	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
244	TR	BF		60	12				16/5	S	17-03							216	#5 @12" O.C HOR
245	TR	BF		60	19				16/5	S	24-06							486	#5 @12" O.C HOR
246	MT	MARK WP-4 (7/4" THICK)																	
247	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
248	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
249	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
250	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
251	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
252	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
253	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
254	TR	BF		60	4*2				16/5	S	24-06							204	4 #5 CONT ADDL
255	TR	BF		60	15				16/5	S	32-00							501	#5 @12" O.C VERT
256	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
257	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
258	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
259	TR	BF		60	12				16/5	S	17-03							216	#5 @12" O.C HOR
260	TR	BF		60	19				16/5	S	24-06							486	#5 @12" O.C HOR
261	MT	MARK WP-5 (7/4" THICK)																	
262	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
263	TR	BF		60	2*2				16/5	S	25-00							104	2 #5 PERI T&B
264	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
265	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
266	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
267	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
268	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
269	TR	BF		60	4*2				16/5	S	25-00							209	4 #5 CONT ADDL
270	TR	BF		60	26				16/5	S	32-00							868	#5 @12" O.C VERT
271	TR	BF		60	33				16/5	S	25-00							860	#5 @12" O.C HOR
272	TR	BF		60	15				16/5	S	32-00							501	#5 @12" O.C VERT
273	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
274	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
275	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
276	TR	BF		60	19				16/5	S	25-00							495	#5 @12" O.C HOR
277	TR	BF		60	12				16/5	S	17-01							214	#5 @12" O.C HOR
278	MT	MARK WP-6 (7¼" THICK)																	
279	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
280	TR	BF		60	2*2				16/5	S	29-02							122	2 #5 PERI T&B
281	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
282	TR	BF		60	4*2				16/5	S	14-00							117	4 #5 CONT ADDL
283	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
284	TR	BF		60	4*2				16/5	S	29-02							243	4 #5 CONT ADDL
285	TR	BF		60	30				16/5	S	32-00							1,001	#5 @12" O.C VERT
286	TR	BF		60	33				16/5	S	25-00							860	#5 @12" O.C HOR
287	MT	MARK WP-7 (7¼" THICK)																	
288	TR	BF		60	2				16/5	S	19-02							40	2 #5 VERT PERI
289	TR	BF		60	2				16/5	S	32-00							67	2 #5 VERT PERI
290	TR	BF		60	2				16/5	S	13-02							27	2 #5 PERI TOP
291	TR	BF		60	2				16/5	S	10-08							22	2 #5 PERI BOT
292	TR	BF		60	2				16/5	S	5-00							10	2 #5 PERI BOT
293	TR	BF		60	2*5				16/5	H	4-00							42	2 #5 COR
294	TR	BF		60	2				16/5	S	15-04							32	2 #5 OPNG ADDL
295	TR	BF		60	2*2				16/5	S	8-06							35	2 #5 OPNG ADDL ES
296	TR	BF		60	2*2				16/5	H	10-04							43	2 #5 OPNG ADDL T&B
297	TR	BF		60	2*2				16/5	H	5-00							21	2 #5 DIAG
298	TR	BF		60	2*2				16/5	S	5-00							21	2 #5 DIAG
299	TR	BF		60	2				16/5	S	5-00							10	2 #5 RE-ENT COR
300	TR	BF		60	4*3				16/5	S	13-02							165	4 #5 CONT ADDL
301	TR	BF		60	4				13/4	H	4-00							11	#4 HAIRPIN
302	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
303	TR	BF		60	4				16/5	S	19-02							80	#5 @12" O.C VERT
304	TR	BF		60	6				16/5	S	15-08							98	#5 @12" O.C VERT
305	TR	BF		60	5				16/5	S	32-00							167	#5 @12" O.C VERT
306	TR	BF		60	16				16/5	S	13-02							220	#5 @12" O.C HOR
307	TR	BF		60	3				16/5	S	6-08							21	#5 @12" O.C HOR
308	TR	BF		60	12				16/5	S	5-00							63	#5 @12" O.C HOR
309	MT	MARK WP-8 (7¼" THICK)																	
310	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
311	TR	BF		60	2*2				16/5	S	28-09							120	2 #5 PERI T&B
312	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
313	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 OPNG ADDL ES
314	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
315	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
316	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
317	TR	BF		60	64				10/3	L	6-03							150	#3 @6" O.C TIES
318	TR	BF		60	3*2				16/5	S	28-09							180	3 #5 ADDL EF
319	TR	BF		60	58				10/3	L	6-03							136	#3 @6" O.C STIRR
320	TR	BF		60	4*3				16/5	S	28-09							360	4 #5 CONT ADDL
321	TR	BF		60	25				16/5	S	19-02							500	#5 @12" O.C VERT
322	TR	BF		60	20				16/5	S	28-09							600	#5 @12" O.C HOR
323	MT	MARK WP-9 (7/4" THICK)																	
324	TR	BF		60	2				16/5	S	19-02							40	2 #5 VERT PERI
325	TR	BF		60	2				16/5	S	32-00							67	2 #5 VERT PERI
326	TR	BF		60	2				16/5	S	24-05							51	2 #5 PERI TOP
327	TR	BF		60	2				16/5	S	7-02							15	2 #5 PERI BOT
328	TR	BF		60	2*7				16/5	H	4-00							58	2 #5 COR
329	TR	BF		60	2*2				16/5	S	15-04							64	2 #5 OPNG ADDL ES
330	TR	BF		60	2			3	16/5	S	11-04							71	2 #5 OPNG ADDL ES
331	TR	BF		60	2				16/5	S	32-00							67	2 #5 OPNG ADDL ES
332	TR	BF		60	2*2				16/5	H	15-06							65	2 #5 OPNG ADDL T&B
333	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
334	TR	BF		60	2			2	16/5	S	5-00							21	2 #5 RE-ENT COR
335	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
336	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
337	TR	BF		60	3*2				16/5	S	24-05							153	3 #5 ADDL EF
338	TR	BF		60	49				10/3	L	6-03							115	#3 @6" O.C STIRR
339	TR	BF		60	4*3				16/5	S	24-05							306	4 #5 CONT ADDL
340	TR	BF		60	4				13/4	H	4-00							11	#4 HAIRPIN
341	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
342	TR	BF		60	9				16/5	S	19-02							180	#5 @12" O.C VERT
343	TR	BF		60	7				16/5	S	32-00							234	#5 @12" O.C VERT
344	TR	BF		60	6				16/5	S	12-08							79	#5 @12" O.C VERT
345	TR	BF		60	12				16/5	S	7-02							90	#5 @12" O.C HOR
346	TR	BF		60	6				16/5	S	17-04							108	#5 @12" O.C HOR
347	TR	BF		60	13				16/5	S	24-06							332	#5 @12" O.C HOR
348	MT	MARK WP-10 (7/4" THICK)																	
349	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
350	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
351	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
352	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 OPNG ADDL ES
353	TR	BF		60	2			3	16/5	S	11-04							71	2 #5 OPNG ADDL ES
354	TR	BF		60	2*2				16/5	H	15-06							65	2 #5 OPNG ADDL T&B
355	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
356	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
357	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
358	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
359	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
360	TR	BF		60	3*2				16/5	S	24-06							153	3 #5 ADDL EF
361	TR	BF		60	49				10/3	L	6-03							115	#3 @6" O.C STIRR
362	TR	BF		60	4*3				16/5	S	24-06							307	4 #5 CONT ADDL
363	TR	BF		60	7				16/5	S	19-02							140	#5 @12" O.C VERT
364	TR	BF		60	6				16/5	S	12-08							79	#5 @12" O.C VERT
365	TR	BF		60	6				16/5	S	17-04							108	#5 @12" O.C HOR
366	TR	BF		60	13				16/5	S	24-06							332	#5 @12" O.C HOR
367	MT	MARK WP-11 (7/4" THICK)																	
368	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
369	TR	BF		60	2				16/5	S	23-03							49	2 #5 PERI TOP
370	TR	BF		60	2*9				16/5	H	4-00							75	2 #5 COR
371	TR	BF		60	2			2	16/5	S	32-00							134	2 #5 OPNG ADDL ES
372	TR	BF		60	2				16/5	S	12-04							26	2 #5 OPNG ADDL
373	TR	BF		60	2			3	16/5	S	11-04							71	2 #5 OPNG ADDL ES
374	TR	BF		60	2*2				16/5	H	15-06							65	2 #5 OPNG ADDL T&B
375	TR	BF		60	2*6				16/5	S	5-00							63	2 #5 DIAG
376	TR	BF		60	2*2				16/5	H	5-00							21	2 #5 DIAG
377	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
378	TR	BF		60	64				10/3	L	5-09							138	#3 @6" O.C TIES
379	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
380	TR	BF		60	64				10/3	L	7-07							182	#3 @6" O.C TIES
381	TR	BF		60	3*2				16/5	S	23-03							146	3 #5 ADDL EF
382	TR	BF		60	43				10/3	L	6-03							101	#3 @6" O.C STIRR
383	TR	BF		60	4*3				16/5	S	23-03							291	4 #5 CONT ADDL
384	TR	BF		60	11				16/5	S	19-02							220	#5 @12" O.C VERT
385	TR	BF		60	8				16/5	S	12-08							106	#5 @12" O.C VERT
386	TR	BF		60	2				16/5	S	16-00							33	#5 @12" O.C VERT
387	TR	BF		60	12				16/5	S	23-03							291	#5 @12" O.C HOR
388	TR	BF		60	6				16/5	S	15-00							94	#5 @12" O.C HOR
389	TR	BF		60	4				16/5	S	6-06							27	#5 @12" O.C HOR
390	MT	MARK WP-12 (7/4" THICK)																	

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
391	TR	BF		60	2				16/5	S	32-00							67	2 #5 VERT PERI
392	TR	BF		60	2				16/5	S	23-04							49	2 #5 PERI TOP
393	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR
394	TR	BF		60	2*2			2	16/5	S	8-06							71	2 #5 OPNG ADDL ES
395	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 OPNG ADDL ES
396	TR	BF		60	2				16/5	S	23-04							49	2 #5 OPNG ADDL TOP
397	TR	BF		60	2				16/5	S	23-04							49	2 #5 OPNG ADDL TOP
398	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
399	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
400	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
401	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
402	TR	BF		60	64				10/3	L	4-10							116	#3 @6" O.C TIES
403	TR	BF		60	3*2				16/5	S	23-04							146	3 #5 ADDL EF
404	TR	BF		60	47				10/3	L	6-03							110	#3 @6" O.C STIRR
405	TR	BF		60	4*3				16/5	S	23-04							292	4 #5 CONT ADDL
406	TR	BF		60	9				16/5	S	22-04							210	#5 @12" O.C VERT
407	TR	BF		60	12				16/5	S	18-08							234	#5 @12" O.C VERT
408	TR	BF		60	3				16/5	S	10-03							32	#5 @12" O.C HOR
409	TR	BF		60	19				16/5	S	23-04							462	#5 @12" O.C HOR
410	MT	MARK WP-13 (7/4" THICK)																	
411	TR	BF		60	2				16/5	S	23-06							49	2 #5 VERT PERI
412	TR	BF		60	2				16/5	S	32-00							67	2 #5 VERT PERI
413	TR	BF		60	2				16/5	S	23-11							50	2 #5 PERI TOP
414	TR	BF		60	2				16/5	S	20-07							43	2 #5 PERI BOT
415	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
416	TR	BF		60	2*2			2	16/5	S	8-08							72	2 #5 OPNG ADDL ES
417	TR	BF		60	2*2				16/5	S	21-04							89	2 #5 OPNG ADDL T&B
418	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
419	TR	BF		60	4*3				16/5	S	23-11							299	4 #5 CONT ADDL
420	TR	BF		60	10				16/5	S	32-00							334	#5 @12" O.C VERT
421	TR	BF		60	3				16/5	S	23-06							74	#5 @12" O.C VERT
422	TR	BF		60	11				16/5	S	28-06							327	#5 @12" O.C VERT
423	TR	BF		60	3				16/5	S	11-04							35	#5 @12" O.C HOR
424	TR	BF		60	20				16/5	S	23-11							499	#5 @12" O.C HOR
425	TR	BF		60	8				16/5	S	20-07							172	#5 @12" O.C HOR
426	MT	MARK WP-14 (7/4" THICK)																	
427	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
428	TR	BF		60	2*2				16/5	S	27-03							114	2 #5 VERT PERI T&B
429	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
430	TR	BF		60	2*2			2	16/5	S	8-08							72	2 #5 OPNG ADDL ES
431	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 OPNG ADDL ES
432	TR	BF		60	2*2				16/5	S	21-04							89	2 #5 OPNG ADDL T&B
433	TR	BF		60	2				16/5	S	27-04							57	2 #5 OPNG ADDL TOP
434	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
435	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
436	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
437	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
438	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
439	TR	BF		60	3				16/5	S	27-03							85	3 #5 ADDL EF
440	TR	BF		60	55				10/3	L	6-03							129	#3 @6" O.C TIES
441	TR	BF		60	4*3				16/5	S	27-04							342	4 #5 CONT ADDL
442	TR	BF		60	14				16/5	S	19-02							280	#5 @12" O.C VERT
443	TR	BF		60	11				16/5	S	15-08							180	#5 @12" O.C VERT
444	TR	BF		60	16				16/5	S	27-03							455	#5 @12" O.C HOR
445	TR	BF		60	3				16/5	S	14-07							46	#5 @12" O.C HOR
446	MT	MARK WP-15 (7/4" THICK)																	
447	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
448	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 VERT PERI T&B
449	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR
450	TR	BF		60	2*2			2	16/5	S	8-08							72	2 #5 OPNG ADDL ES
451	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 OPNG ADDL ES
452	TR	BF		60	2*2				16/5	S	21-04							89	2 #5 OPNG ADDL T&B
453	TR	BF		60	2				16/5	S	24-06							51	2 #5 OPNG ADDL TOP
454	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
455	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
456	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
457	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
458	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
459	TR	BF		60	3				16/5	S	24-06							77	3 #5 ADDL EF
460	TR	BF		60	55				10/3	L	6-03							129	#3 @6" O.C TIES
461	TR	BF		60	4*3				16/5	S	24-06							307	4 #5 CONT ADDL
462	TR	BF		60	10				16/5	S	19-02							200	#5 @12" O.C VERT
463	TR	BF		60	11				16/5	S	15-08							180	#5 @12" O.C VERT
464	TR	BF		60	16				16/5	S	24-06							409	#5 @12" O.C HOR
465	TR	BF		60	3				16/5	S	11-11							37	#5 @12" O.C HOR
466	MT	MARK WP-16 (7/4" THICK)																	
467	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
468	TR	BF		60	2*2				16/5	S	25-00							104	2 #5 VERT PERI T&B

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
469	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR
470	TR	BF		60	2*2			2	16/5	S	8-08							72	2 #5 OPNG ADDL ES
471	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 OPNG ADDL ES
472	TR	BF		60	2*2				16/5	S	21-04							89	2 #5 OPNG ADDL T&B
473	TR	BF		60	2				16/5	S	25-00							52	2 #5 OPNG ADDL TOP
474	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
475	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
476	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
477	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
478	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
479	TR	BF		60	3				16/5	S	25-00							78	3 #5 ADDL EF
480	TR	BF		60	55				10/3	L	6-03							129	#3 @6" O.C TIES
481	TR	BF		60	4*3				16/5	S	25-00							313	4 #5 CONT ADDL
482	TR	BF		60	4				13/4	H	4-00							11	#4 HAIRPIN
483	TR	BF		60	11				16/5	S	19-02							220	#5 @12" O.C VERT
484	TR	BF		60	11				16/5	S	15-08							180	#5 @12" O.C VERT
485	TR	BF		60	16				16/5	S	25-00							417	#5 @12" O.C HOR
486	TR	BF		60	3				16/5	S	12-06							39	#5 @12" O.C HOR
487	MT	MARK WP-17 (7/4" THICK)																	
488	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
489	TR	BF		60	2*2				16/5	S	25-00							104	2 #5 VERT PERI T&B
490	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR
491	TR	BF		60	2*2			2	16/5	S	8-08							72	2 #5 OPNG ADDL ES
492	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 OPNG ADDL ES
493	TR	BF		60	2*2				16/5	S	21-04							89	2 #5 OPNG ADDL T&B
494	TR	BF		60	2				16/5	S	25-00							52	2 #5 OPNG ADDL TOP
495	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
496	TR	BF		60	55				10/3	L	5-03							109	#3 @6" O.C TIES
497	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
498	TR	BF		60	55				10/3	L	6-05							133	#3 @6" O.C TIES
499	TR	BF		60	3				16/5	S	25-00							78	3 #5 ADDL EF
500	TR	BF		60	55				10/3	L	6-03							129	#3 @6" O.C TIES
501	TR	BF		60	4*3				16/5	S	25-00							313	4 #5 CONT ADDL
502	TR	BF		60	4				13/4	H	4-00							11	#4 HAIRPIN
503	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
504	TR	BF		60	11				16/5	S	19-02							220	#5 @12" O.C VERT
505	TR	BF		60	11				16/5	S	15-08							180	#5 @12" O.C VERT
506	TR	BF		60	16				16/5	S	25-00							417	#5 @12" O.C HOR
507	TR	BF		60	3				16/5	S	12-06							39	#5 @12" O.C HOR

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
508	MT	MARK WP-18 (7/4" THICK)																	
509	TR	BF		60	2				16/5	S	32-00							67	2 #5 VERT PERI
510	TR	BF		60	2				16/5	S	19-02							40	2 #5 VERT PERI
511	TR	BF		60	2				16/5	S	13-02							27	2 #5 PERI TOP
512	TR	BF		60	2*5				16/5	H	4-00							42	2 #5 COR
513	TR	BF		60	2				16/5	S	32-00							67	2 #5 OPNG ADDL
514	TR	BF		60	2*2				16/5	S	8-08							36	2 #5 OPNG ADDL ES
515	TR	BF		60	2*2				16/5	H	10-06							44	2 #5 OPNG ADDL T&B
516	TR	BF		60	2				16/5	S	13-02							27	2 #5 OPNG ADDL TOP
517	TR	BF		60	2*4				16/5	S	5-00							42	2 #5 DIAG
518	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
519	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
520	TR	BF		60	3*2				16/5	S	13-02							82	3 #5 ADDL EF
521	TR	BF		60	27				10/3	L	6-03							63	#3 @6" O.C STIRR
522	TR	BF		60	4*3				16/5	S	13-02							165	4 #5 CONT ADDL
523	TR	BF		60	4				13/4	H	4-00							11	#4 HAIRPIN
524	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
525	TR	BF		60	6				16/5	S	15-08							98	#5 @12" O.C VERT
526	TR	BF		60	14				16/5	S	13-02							192	#5 @12" O.C HOR
527	TR	BF		60	3				16/5	S	7-00							22	#5 @12" O.C HOR
528	MT	MARK WP-19 (7/4" THICK)																	
529	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
530	TR	BF		60	2*2				16/5	S	29-02							122	2 #5 PERI T&B
531	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
532	TR	BF		60	4*3				16/5	S	29-02							365	4 #5 CONT ADDL
533	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
534	TR	BF		60	30				16/5	S	32-00							1,001	#5 @12" O.C VERT
535	TR	BF		60	33				16/5	S	25-00							860	#5 @12" O.C HOR
536	MT	MARK WP-20 (7/4" THICK)																	
537	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
538	TR	BF		60	2*2				16/5	S	25-01							105	2 #5 PERI T&B
539	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
540	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
541	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
542	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
543	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
544	TR	BF		60	4*2				16/5	S	25-01							209	4 #5 CONT ADDL
545	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
546	TR	BF		60	18				16/5	S	32-00							601	#5 @12" O.C VERT

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
547	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
548	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
549	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
550	TR	BF		60	12				16/5	S	18-00							225	#5 @12" O.C HOR
551	TR	BF		60	20				16/5	S	25-01							523	#5 @12" O.C HOR
552	MT	MARK WP-21 (7/4" THICK)																	
553	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
554	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
555	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
556	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
557	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
558	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
559	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
560	TR	BF		60	4*2				16/5	S	24-06							204	4 #5 CONT ADDL
561	TR	BF		60	18				16/5	S	32-00							601	#5 @12" O.C VERT
562	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
563	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
564	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
565	TR	BF		60	12				16/5	S	17-06							219	#5 @12" O.C HOR
566	TR	BF		60	20				16/5	S	24-06							511	#5 @12" O.C HOR
567	MT	MARK WP-22 (7/4" THICK)																	
568	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
569	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
570	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
571	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
572	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
573	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
574	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
575	TR	BF		60	4*2				16/5	S	24-06							204	4 #5 CONT ADDL
576	TR	BF		60	18				16/5	S	32-00							601	#5 @12" O.C VERT
577	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
578	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
579	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
580	TR	BF		60	12				16/5	S	17-06							219	#5 @12" O.C HOR
581	TR	BF		60	20				16/5	S	24-06							511	#5 @12" O.C HOR
582	MT	MARK WP-23 (7/4" THICK)																	
583	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
584	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
585	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
586	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
587	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
588	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
589	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
590	TR	BF		60	4*2				16/5	S	24-06							204	4 #5 CONT ADDL
591	TR	BF		60	18				16/5	S	32-00							601	#5 @12" O.C VERT
592	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
593	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
594	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
595	TR	BF		60	12				16/5	S	17-06							219	#5 @12" O.C HOR
596	TR	BF		60	20				16/5	S	24-06							511	#5 @12" O.C HOR
597	MT	MARK WP-24 (7/4" THICK)																	
598	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
599	TR	BF		60	2*2				16/5	S	25-01							105	2 #5 PERI T&B
600	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
601	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
602	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
603	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
604	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
605	TR	BF		60	4*2				16/5	S	25-01							209	4 #5 CONT ADDL
606	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
607	TR	BF		60	18				16/5	S	32-00							601	#5 @12" O.C VERT
608	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
609	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
610	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
611	TR	BF		60	12				16/5	S	18-00							225	#5 @12" O.C HOR
612	TR	BF		60	20				16/5	S	25-01							523	#5 @12" O.C HOR
613	MT	MARK WP-25 (7/4" THICK)																	
614	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
615	TR	BF		60	2*2				16/5	S	33-02							138	2 #5 PERI T&B
616	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
617	TR	BF		60	4*3				16/5	S	33-02							415	4 #5 CONT ADDL
618	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
619	TR	BF		60	34				16/5	S	32-00							1,135	#5 @12" O.C VERT
620	TR	BF		60	33				16/5	S	33-02							1,142	#5 @12" O.C HOR
621	MT	MARK WP-26 (7/4" THICK)																	
622	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
623	TR	BF		60	2*2				16/5	S	19-06							81	2 #5 PERI T&B
624	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
625	TR	BF		60	4*3				16/5	S	19-06							244	4 #5 CONT ADDL
626	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
627	TR	BF		60	21				16/5	S	32-00							701	#5 @12" O.C VERT
628	TR	BF		60	33				16/5	S	19-06							671	#5 @12" O.C HOR
629	MT	MARK WP-27 (7/4" THICK)																	
630	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
631	TR	BF		60	2*2				16/5	S	33-04							139	2 #5 PERI T&B
632	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
633	TR	BF		60	2*2				16/5	S	12-04							51	2 #5 OPNG ADDL ES
634	TR	BF		60	2*2				16/5	H	12-02							51	2 #5 OPNG ADDL T&B
635	TR	BF		60	2*5				16/5	S	5-00							52	2 #5 DIAG
636	TR	BF		60	2*2				16/5	S	8-08							36	2 #5 OPNG ADDL ES
637	TR	BF		60	2*2				16/5	H	12-02							51	2 #5 OPNG ADDL T&B
638	TR	BF		60	2*3				16/5	S	5-00							31	2 #5 DIAG
639	TR	BF		60	4*3				16/5	S	33-04							417	4 #5 CONT ADDL
640	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
641	TR	BF		60	34				16/5	S	32-00							1,135	#5 @10" O.C VERT
642	TR	BF		60	8				16/5	S	19-00							159	#5 @10" O.C VERT
643	TR	BF		60	21				16/5	S	33-04							730	#5 @12" O.C HOR
644	TR	BF		60	12				16/5	S	26-04							330	#5 @12" O.C HOR
645	MT	MARK WP-28 (7/4" THICK)																	
646	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
647	TR	BF		60	2*2				16/5	S	20-02							84	2 #5 PERI T&B
648	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR
649	TR	BF		60	2				16/5	S	32-00							67	2 #5 OPNG ADDL
650	TR	BF		60	2*2				16/5	S	12-10							54	2 #5 OPNG ADDL T&B
651	TR	BF		60	2*2				16/5	S	5-00							21	2 #5 DIAG
652	TR	BF		60	4*2				16/5	S	20-02							168	4 #5 CONT ADDL
653	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
654	TR	BF		60	13				16/5	S	32-00							434	#5 @10" O.C VERT
655	TR	BF		60	13				16/5	S	25-00							339	#5 @10" O.C VERT
656	TR	BF		60	27				16/5	S	20-02							568	#5 @12" O.C HOR
657	TR	BF		60	6				16/5	S	9-02							57	#5 @12" O.C HOR
658	MT	MARK WP-29 (7/4" THICK)																	
659	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
660	TR	BF		60	2*2				16/5	S	8-02							34	2 #5 PERI T&B
661	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
662	TR	BF		60	4*2				16/5	S	8-02							68	4 #5 CONT ADDL
663	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
664	TR	BF		60	9				16/5	S	32-00							300	#5 @12" O.C VERT
665	TR	BF		60	33				16/5	S	8-02							281	#5 @12" O.C HOR
666	MT	MARK WP-30 (7/4" THICK)																	
667	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
668	TR	BF		60	2*2				16/5	S	25-01							105	2 #5 PERI T&B
669	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
670	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
671	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
672	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
673	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
674	TR	BF		60	4*2				16/5	S	25-01							209	4 #5 CONT ADDL
675	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
676	TR	BF		60	18				16/5	S	32-00							601	#5 @12" O.C VERT
677	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
678	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
679	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
680	TR	BF		60	12				16/5	S	18-00							225	#5 @12" O.C HOR
681	TR	BF		60	20				16/5	S	25-01							523	#5 @12" O.C HOR
682	MT	MARK WP-31 (7/4" THICK)																	
683	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
684	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
685	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
686	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
687	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
688	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
689	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
690	TR	BF		60	4*2				16/5	S	24-06							204	4 #5 CONT ADDL
691	TR	BF		60	18				16/5	S	32-00							601	#5 @12" O.C VERT
692	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
693	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
694	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
695	TR	BF		60	12				16/5	S	17-06							219	#5 @12" O.C HOR
696	TR	BF		60	20				16/5	S	24-06							511	#5 @12" O.C HOR
697	MT	MARK WP-32 (7/4" THICK)																	
698	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
699	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
700	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
701	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
702	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
703	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
704	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
705	TR	BF		60	4*2				16/5	S	24-06							204	4 #5 CONT ADDL
706	TR	BF		60	18				16/5	S	32-00							601	#5 @12" O.C VERT
707	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
708	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
709	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
710	TR	BF		60	12				16/5	S	17-06							219	#5 @12" O.C HOR
711	TR	BF		60	20				16/5	S	24-06							511	#5 @12" O.C HOR
712	MT	MARK WP-33 (7/4" THICK)																	
713	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
714	TR	BF		60	2*2				16/5	S	16-09							70	2 #5 PERI T&B
715	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
716	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
717	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
718	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
719	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
720	TR	BF		60	4*2				16/5	S	16-09							140	4 #5 CONT ADDL
721	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
722	TR	BF		60	11				16/5	S	32-00							367	#5 @12" O.C VERT
723	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
724	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
725	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
726	TR	BF		60	12				16/5	S	9-08							121	#5 @12" O.C HOR
727	TR	BF		60	20				16/5	S	16-09							349	#5 @12" O.C HOR
728	MT	MARK WP-34 ((7/4" THICK)																	
729	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
730	TR	BF		60	2*2				16/5	S	20-06							86	2 #5 PERI T&B
731	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
732	TR	BF		60	2*2			4	16/5	S	11-06							192	2 #5 OPNG ADDL ES
733	TR	BF		60	2*2			2	16/5	S	15-08							131	2 #5 OPNG ADDL T&B
734	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
735	TR	BF		60	4*2				16/5	S	20-06							171	4 #5 CONT ADDL
736	TR	BF		60	13				16/5	S	32-00							434	#5 @12" O.C VERT
737	TR	BF		60	6				16/5	S	19-00							119	#5 @12" O.C VERT
738	TR	BF		60	12				16/5	S	13-02							165	#5 @12" O.C HOR
739	TR	BF		60	21				16/5	S	20-06							449	#5 @12" O.C HOR
740	MT	MARK WP-35 (7/4" THICK)																	
741	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
742	TR	BF		60	2				16/5	S	14-05							30	2 #5 VERT PERI TOP
743	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR
744	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 OPNG ADDL ES
745	TR	BF		60	2				16/5	S	14-05							30	2 #5 OPNG ADDL TOP
746	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
747	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
748	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
749	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
750	TR	BF		60	3				16/5	S	14-05							45	3 #5 ADDL EF
751	TR	BF		60	29				10/3	L	6-03							68	#3 @6" O.C TIES
752	TR	BF		60	4*3				16/5	S	14-05							180	4 #5 CONT ADDL
753	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
754	TR	BF		60	12				16/5	S	20-06							257	#5 @12" O.C VERT
755	TR	BF		60	21				16/5	S	14-05							316	#5 @12" O.C HOR
756	MT	MARK WP-36 (7/4" THICK)																	
757	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
758	TR	BF		60	2				16/5	S	34-08							72	2 #5 VERT PERI TOP
759	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR
760	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 OPNG ADDL ES
761	TR	BF		60	2				16/5	S	34-08							72	2 #5 OPNG ADDL TOP
762	TR	BF		60	2*2			4	16/5	S	8-08							145	2 #5 OPNG ADDL ES
763	TR	BF		60	2*2				16/5	S	35-06							148	2 #5 OPNG ADDL T&B
764	TR	BF		60	2*2			4	16/5	S	5-00							83	2 #5 DIAG
765	TR	BF		60	2*2			4	16/5	H	5-00							83	2 #5 DIAG
766	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
767	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
768	TR	BF		60	5*2				19/6	S	32-00							481	5 #6 ADDL EF
769	TR	BF		60	64				10/3	L	5-03							126	#3 @6" O.C TIES
770	TR	BF		60	3				16/5	S	34-08							108	3 #5 ADDL EF
771	TR	BF		60	70				10/3	L	6-03							165	#3 @6" O.C TIES
772	TR	BF		60	4*3				16/5	S	34-08							434	4 #5 CONT ADDL
773	TR	BF		60	32				16/5	S	20-06							684	#5 @12" O.C VERT
774	TR	BF		60	21				16/5	S	34-08							759	#5 @12" O.C HOR
775	MT	MARK WP-37 (7/4" THICK)																	
776	TR	BF		60	2*2				16/5	S	23-08							99	2 #5 VERT PERI ES
777	TR	BF		60	2				16/5	S	14-05							30	2 #5 VERT PERI TOP
778	TR	BF		60	2				16/5	S	5-06							11	2 #5 VERT PERI BOT
779	TR	BF		60	2			7	16/5	H	4-00							58	2 #5 COR
780	TR	BF		60	2*2				16/5	S	10-08							44	2 #5 OPNG ADDL ES

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
781	TR	BF		60	2*2				16/5	S	10-08							44	2 #5 OPNG ADDL
782	TR	BF		60	2				16/5	S	7-10							16	2 #5 OPNG ADDL TOP
783	TR	BF		60	2				16/5	S	5-06							11	2 #5 OPNG ADDL TOP
784	TR	BF		60	2*3				16/5	S	5-00							31	2 #5 DIAG
785	TR	BF		60	4*3				16/5	S	14-05							180	4 #5 CONT ADDL
786	TR	BF		60	8				16/5	S	23-06							196	#5 @12" O.C VERT
787	TR	BF		60	8				16/5	S	32-00							267	#5 @12" O.C VERT
788	TR	BF		60	9				16/5	S	7-06							70	#5 @12" O.C HOR
789	TR	BF		60	24				16/5	S	14-05							361	#5 @12" O.C HOR
790	MT	MARK WP-38 (7/4" THICK)																	
791	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
792	TR	BF		60	2*2				16/5	S	20-06							86	2 #5 PERI T&B
793	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
794	TR	BF		60	2*2			4	16/5	S	11-06							192	2 #5 OPNG ADDL ES
795	TR	BF		60	2*2			2	16/5	S	15-08							131	2 #5 OPNG ADDL T&B
796	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
797	TR	BF		60	4*2				16/5	S	20-06							171	4 #5 CONT ADDL
798	TR	BF		60	13				16/5	S	32-00							434	#5 @12" O.C VERT
799	TR	BF		60	6				16/5	S	19-00							119	#5 @12" O.C VERT
800	TR	BF		60	12				16/5	S	13-02							165	#5 @12" O.C HOR
801	TR	BF		60	21				16/5	S	20-06							449	#5 @12" O.C HOR
802	MT	MARK WP-39 (7/4" THICK)																	
803	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
804	TR	BF		60	2*2				16/5	S	16-09							70	2 #5 PERI T&B
805	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
806	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
807	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
808	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
809	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
810	TR	BF		60	4*2				16/5	S	16-09							140	4 #5 CONT ADDL
811	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
812	TR	BF		60	11				16/5	S	32-00							367	#5 @12" O.C VERT
813	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
814	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
815	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
816	TR	BF		60	12				16/5	S	9-08							121	#5 @12" O.C HOR
817	TR	BF		60	20				16/5	S	16-09							349	#5 @12" O.C HOR
818	MT	MARK WP-40 (7/4" THICK)																	
819	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
820	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
821	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
822	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
823	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
824	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
825	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
826	TR	BF		60	4*2				16/5	S	24-06							204	4 #5 CONT ADDL
827	TR	BF		60	18				16/5	S	32-00							601	#5 @12" O.C VERT
828	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
829	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
830	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
831	TR	BF		60	12				16/5	S	17-06							219	#5 @12" O.C HOR
832	TR	BF		60	20				16/5	S	24-06							511	#5 @12" O.C HOR
833	MT	MARK WP-41 (7/4" THICK)																	
834	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
835	TR	BF		60	2*2				16/5	S	24-06							102	2 #5 PERI T&B
836	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
837	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
838	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
839	TR	BF		60	2*2				16/5	S	14-09							62	2 #5 OPNG ADDL T&B
840	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
841	TR	BF		60	4*2				16/5	S	24-06							204	4 #5 CONT ADDL
842	TR	BF		60	18				16/5	S	32-00							601	#5 @12" O.C VERT
843	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
844	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
845	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
846	TR	BF		60	12				16/5	S	17-06							219	#5 @12" O.C HOR
847	TR	BF		60	20				16/5	S	24-06							511	#5 @12" O.C HOR
848	MT	MARK WP-42 (7/4" THICK)																	
849	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
850	TR	BF		60	2*2				16/5	S	25-00							104	2 #5 PERI T&B
851	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
852	TR	BF		60	2*2			4	16/5	S	11-04							189	2 #5 OPNG ADDL ES
853	TR	BF		60	2*2				16/5	S	15-08							65	2 #5 OPNG ADDL T&B
854	TR	BF		60	2*2				16/5	S	15-02							63	2 #5 OPNG ADDL T&B
855	TR	BF		60	2*4			4	16/5	S	5-00							167	2 #5 DIAG
856	TR	BF		60	4*2				16/5	S	25-00							209	4 #5 CONT ADDL
857	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
858	TR	BF		60	15				16/5	S	32-00							501	#5 @12" O.C VERT

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
859	TR	BF		60	6				16/5	S	19-02							120	#5 @12" O.C VERT
860	TR	BF		60	2				16/5	S	21-08							45	#5 @12" O.C VERT
861	TR	BF		60	2				16/5	S	18-00							38	#5 @12" O.C VERT
862	TR	BF		60	19				16/5	S	25-00							495	#5 @12" O.C HOR
863	TR	BF		60	12				16/5	S	17-01							214	#5 @12" O.C HOR
864	MT	MARK WP-43 (7/4" THICK)																	
865	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
866	TR	BF		60	2*2				16/5	S	8-02							34	2 #5 PERI T&B
867	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
868	TR	BF		60	4*2				16/5	S	8-02							68	4 #5 CONT ADDL
869	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
870	TR	BF		60	9				16/5	S	32-00							300	#5 @12" O.C VERT
871	TR	BF		60	33				16/5	S	8-02							281	#5 @12" O.C HOR
872	MT	MARK WP-44 (7/4" THICK)																	
873	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
874	TR	BF		60	2*2				16/5	S	19-06							81	2 #5 PERI T&B
875	TR	BF		60	2*6				16/5	H	4-00							50	2 #5 COR
876	TR	BF		60	2				16/5	S	32-00							67	2 #5 OPNG ADDL
877	TR	BF		60	2*2				16/5	S	12-10							54	2 #5 OPNG ADDL T&B
878	TR	BF		60	2*2				16/5	S	5-00							21	2 #5 DIAG
879	TR	BF		60	4*2				16/5	S	19-06							163	4 #5 CONT ADDL
880	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
881	TR	BF		60	11				16/5	S	32-00							367	#5 @10" O.C VERT
882	TR	BF		60	14				16/5	S	25-00							365	#5 @10" O.C VERT
883	TR	BF		60	27				16/5	S	19-06							549	#5 @12" O.C HOR
884	TR	BF		60	6				16/5	S	8-08							54	#5 @12" O.C HOR
885	MT	MARK WP-45 (7/4" THICK)																	
886	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
887	TR	BF		60	2*2				16/5	S	34-00							142	2 #5 PERI T&B
888	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
889	TR	BF		60	2*2				16/5	S	12-08							53	2 #5 OPNG ADDL ES
890	TR	BF		60	2*2				16/5	H	11-10							49	2 #5 OPNG ADDL T&B
891	TR	BF		60	2			6	16/5	S	5-00							63	2 #5 DIAG
892	TR	BF		60	2*2				16/5	S	8-08							36	2 #5 OPNG ADDL ES
893	TR	BF		60	2*2				16/5	H	12-02							51	2 #5 OPNG ADDL T&B
894	TR	BF		60	2*2				16/5	H	5-00							21	2 #5 DIAG
895	TR	BF		60	4*2				16/5	S	34-00							284	4 #5 CONT ADDL
896	TR	BF		60	4				16/5	S	25-00							104	4 #5 CONT ADDL
897	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
898	TR	BF		60	33				16/5	S	32-00							1,101	#5 @10" O.C VERT
899	TR	BF		60	9				16/5	S	19-00							178	#5 @10" O.C VERT
900	TR	BF		60	21				16/5	S	34-00							745	#5 @12" O.C HOR
901	TR	BF		60	12				16/5	S	26-08							334	#5 @12" O.C HOR
902	MT	MARK WP-46 (7/4" THICK)																	
903	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
904	TR	BF		60	2*2				16/5	S	19-06							81	2 #5 PERI T&B
905	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
906	TR	BF		60	4*2				16/5	S	19-06							163	4 #5 CONT ADDL
907	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
908	TR	BF		60	21				16/5	S	32-00							701	#5 @12" O.C VERT
909	TR	BF		60	33				16/5	S	19-06							671	#5 @12" O.C HOR
910	MT	MARK WP-47 (7/4" THICK)																	
911	TR	BF		60	2*2				16/5	S	32-00							134	2 #5 VERT PERI ES
912	TR	BF		60	2*2				16/5	S	33-02							138	2 #5 PERI T&B
913	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
914	TR	BF		60	4*2				16/5	S	33-02							277	4 #5 CONT ADDL
915	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
916	TR	BF		60	35				16/5	S	32-00							1,168	#5 @12" O.C VERT
917	TR	BF		60	33				16/5	S	33-02							1,142	#5 @12" O.C HOR
918	MT	MARK WP-48 (7/4" THICK)																	
919	TR	BF		60	2*2				16/5	S	16-08							70	2 #5 VERT PERI ES
920	TR	BF		60	2*2				16/5	S	33-06							140	2 #5 PERI T&B
921	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
922	TR	BF		60	2*2			2	16/5	S	12-06							104	2 #5 OPNG ADDL ES
923	TR	BF		60	2*2			2	16/5	S	7-09							65	2 #5 OPNG ADDL T&B
924	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
925	TR	BF		60	2				16/5	S	12-06							26	2 #5 OPNG ADDL
926	TR	BF		60	2				16/5	S	16-08							35	2 #5 OPNG ADDL
927	TR	BF		60	2*2				16/5	H	10-06							44	2 #5 OPNG ADDL T&B
928	TR	BF		60	2			3	16/5	H	5-00							31	2 #5 DIAG
929	TR	BF		60	2				16/5	H	5-00							10	2 #5 DIAG
930	TR	BF		60	4				16/5	S	33-06							140	4 #5 CONT ADDL
931	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
932	TR	BF		60	23				16/5	S	16-08							400	#5 @12" O.C VERT
933	TR	BF		60	6				16/5	S	7-06							47	#5 @12" O.C VERT
934	TR	BF		60	6				16/5	S	8-02							51	#5 @12" O.C VERT
935	TR	BF		60	9				16/5	S	33-06							314	#5 @12" O.C HOR
936	TR	BF		60	8				16/5	S	19-09							165	#5 @12" O.C HOR

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
937	TR	BF		60	1				16/5	S	25-10							27	#5 @12" O.C HOR
938	MT	MARK WP-49 (7/4" THICK)																	
939	TR	BF		60	2*2				16/5	S	16-08							70	2 #5 VERT PERI ES
940	TR	BF		60	2*2				16/5	S	26-07							111	2 #5 PERI T&B
941	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
942	TR	BF		60	2*2			2	16/5	S	12-06							104	2 #5 OPNG ADDL ES
943	TR	BF		60	2*2			2	16/5	H	7-09							65	2 #5 OPNG ADDL T&B
944	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
945	TR	BF		60	2*2				19/6	S	16-08							100	2 #6 ADDL EF
946	TR	BF		60	17				10/3	L	3-04							21	#3 @12" O.C TIES
947	TR	BF		60	4				16/5	S	26-07							111	4 #5 CONT ADDL
948	TR	BF		60	22				16/5	S	16-08							382	#5 @12" O.C VERT
949	TR	BF		60	6				16/5	S	8-02							51	#5 @12" O.C VERT
950	TR	BF		60	9				16/5	S	25-08							241	#5 @12" O.C HOR
951	TR	BF		60	8				16/5	S	20-08							172	#5 @12" O.C HOR
952	MT	MARK WP-50 (7/4" THICK)																	
953	TR	BF		60	2*2				16/5	S	16-08							70	2 #5 VERT PERI ES
954	TR	BF		60	2*2				16/5	S	36-03							151	2 #5 PERI T&B
955	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
956	TR	BF		60	2*2			3	16/5	S	12-06							156	2 #5 OPNG ADDL ES
957	TR	BF		60	2*2			3	16/5	H	7-09							97	2 #5 OPNG ADDL T&B
958	TR	BF		60	2*4			3	16/5	S	5-00							125	2 #5 DIAG
959	TR	BF		60	4				16/5	S	36-03							151	4 #5 CONT ADDL
960	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
961	TR	BF		60	30				16/5	S	16-08							521	#5 @12" O.C VERT
962	TR	BF		60	8				16/5	S	8-02							68	#5 @12" O.C VERT
963	TR	BF		60	9				16/5	S	36-03							340	#5 @12" O.C HOR
964	TR	BF		60	8				16/5	S	27-04							228	#5 @12" O.C HOR
965	MT	MARK WP-51 (7/4" THICK)																	
966	TR	BF		60	2*2				16/5	S	16-08							70	2 #5 VERT PERI ES
967	TR	BF		60	2*2				16/5	S	29-06							123	2 #5 PERI T&B
968	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
969	TR	BF		60	2*2			3	16/5	S	12-06							156	2 #5 OPNG ADDL ES
970	TR	BF		60	2*2			3	16/5	H	7-09							97	2 #5 OPNG ADDL T&B
971	TR	BF		60	2*4			3	16/5	S	5-00							125	2 #5 DIAG
972	TR	BF		60	4				16/5	S	29-06							123	4 #5 CONT ADDL
973	TR	BF		60	24				16/5	S	16-08							417	#5 @12" O.C VERT
974	TR	BF		60	8				16/5	S	8-02							68	#5 @12" O.C VERT
975	TR	BF		60	9				16/5	S	29-06							277	#5 @12" O.C HOR

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
976	TR	BF		60	8				16/5	S	20-07							172	#5 @12" O.C HOR
977	MT	MARK WP-52 (7/4" THICK)																	
978	TR	BF		60	2*2				16/5	S	16-08							70	2 #5 VERT PERI ES
979	TR	BF		60	2*2				16/5	S	15-02							63	2 #5 PERI T&B
980	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
981	TR	BF		60	4				16/5	S	15-03							64	4 #5 CONT ADDL
982	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
983	TR	BF		60	17				16/5	S	16-08							296	#5 @12" O.C VERT
984	TR	BF		60	18				16/5	S	15-03							286	#5 @12" O.C HOR
985	MT	MARK WP-53 (7/4" THICK)																	
986	TR	BF		60	2*2				16/5	S	16-08							70	2 #5 VERT PERI ES
987	TR	BF		60	2*2				16/5	S	19-04							81	2 #5 PERI T&B
988	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
989	TR	BF		60	2*2				16/5	S	12-06							52	2 #5 OPNG ADDL ES
990	TR	BF		60	2*2				16/5	H	13-04							56	2 #5 OPNG ADDL T&B
991	TR	BF		60	2*4				16/5	S	5-00							42	2 #5 DIAG
992	TR	BF		60	4				16/5	S	19-04							81	4 #5 CONT ADDL
993	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
994	TR	BF		60	15				16/5	S	16-08							261	#5 @12" O.C VERT
995	TR	BF		60	8				16/5	S	8-02							68	#5 @12" O.C VERT
996	TR	BF		60	9				16/5	S	10-09							101	#5 @12" O.C HOR
997	TR	BF		60	10				16/5	S	19-04							202	#5 @12" O.C HOR
998	MT	MARK WP-54 (7/4" THICK)																	
999	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES
1000	TR	BF		60	2*2				16/5	S	22-08							95	2 #5 PERI T&B
1001	TR	BF		60	2			6	16/5	H	4-00							50	2 #5 COR
1002	TR	BF		60	2*2				16/5	S	13-08							57	2 #5 OPNG ADDL ES
1003	TR	BF		60	2				16/5	H	19-10							41	2 #5 OPNG ADDL TOP
1004	TR	BF		60	2*2				16/5	S	5-00							21	2 #5 DIAG
1005	TR	BF		60	4*2				16/5	S	19-04							161	4 #5 CONT ADDL
1006	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1007	TR	BF		60	11				16/5	S	22-00							252	#5 @12" O.C VERT
1008	TR	BF		60	14				16/5	S	10-05							152	#5 @12" O.C VERT
1009	TR	BF		60	12				16/5	S	8-00							100	#5 @12" O.C HOR
1010	TR	BF		60	10				16/5	S	22-08							236	#5 @12" O.C HOR
1011	MT	MARK WP-55 (7/4" THICK)																	
1012	TR	BF		60	2				16/5	S	31-00							65	2 #5 VERT PERI
1013	TR	BF		60	2				16/5	S	29-04							61	2 #5 VERT PERI
1014	TR	BF		60	2				16/5	S	16-05							34	2 #5 PERI TOP

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1015	TR	BF		60	2				16/5	S	14-00							29	2 #5 PERI BOT
1016	TR	BF		60	2			4	16/5	H	4-00							33	2 #5 COR
1017	TR	BF		60	2*2				16/5	S	10-09							45	2 #5 OPNG ADDL ES
1018	TR	BF		60	2*2				16/5	S	10-02							42	2 #5 OPNG ADDL T&B
1019	TR	BF		60	2			2	16/5	S	5-00							21	2 #5 DIAG
1020	TR	BF		60	2			2	16/5	H	5-00							21	2 #5 DIAG
1021	TR	BF		60	4*2				16/5	S	15-04							128	4 #5 CONT ADDL
1022	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1023	TR	BF		60	32*2				16/5	H	5-04							356	#5 @12" O.C ADDL DWL
1024	TR	BF		60	12*2				16/5	S	31-00							776	#5 @12" O.C VERT EF
1025	TR	BF		60	4*2				16/5	S	22-10							191	#5 @12" O.C VERT EF
1026	TR	BF		60	2*2				16/5	S	32-00							134	#5 @12" O.C VERT EF
1027	TR	BF		60	8*2				16/5	S	9-07							160	#5 @12" O.C HOR EF
1028	TR	BF		60	24*2				16/5	S	16-00							801	#5 @12" O.C HOR EF
1029	MT	MARK WP-56 (7/4" THICK)																	
1030	TR	BF		60	2				16/5	S	9-04							19	2 #5 VERT PERI
1031	TR	BF		60	2				16/5	S	22-08							47	2 #5 VERT PERI
1032	TR	BF		60	2				16/5	S	17-09							37	2 #5 VERT PERI
1033	TR	BF		60	2				16/5	S	15-00							31	2 #5 PERI TOP
1034	TR	BF		60	2			6	16/5	H	4-00							50	2 #5 COR
1035	TR	BF		60	2				16/5	S	15-02							32	2 #5 OPNG ADDL
1036	TR	BF		60	2				16/5	H	17-02							36	2 #5 OPNG ADDL TOP
1037	TR	BF		60	2				16/5	S	5-00							10	2 #5 DIAG
1038	TR	BF		60	2				16/5	S	5-00							10	2 #5 RE-ENT COR
1039	TR	BF		60	2*2				16/5	S	17-09							74	2 #5 ADDL EF
1040	TR	BF		60	18				10/3	L	5-03							36	#3 @12" O.C TIES
1041	TR	BF		60	4				16/5	S	16-11							71	4 #5 CONT ADDL
1042	TR	BF		60	15				16/5	S	9-04							146	#5 @12" O.C VERT
1043	TR	BF		60	5				16/5	S	15-00							78	#5 @12" O.C HOR
1044	TR	BF		60	7				16/5	S	16-11							124	#5 @12" O.C HOR
1045	MT	MARK WP-57 (7/4" THICK)																	
1046	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES
1047	TR	BF		60	2*2				16/5	S	28-04							118	2 #5 PERI T&B
1048	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1049	TR	BF		60	2*2				16/5	S	14-04							60	2 #5 OPNG ADDL ES
1050	TR	BF		60	2*2				16/5	S	7-09							32	2 #5 OPNG ADDL T&B
1051	TR	BF		60	2*4				16/5	S	5-00							42	2 #5 DIAG
1052	TR	BF		60	2*2				19/6	S	22-00							132	2 #6 ADDL EF
1053	TR	BF		60	23				10/3	L	3-04							29	#3 @12" O.C TIES

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1054	TR	BF		60	4				16/5	S	28-04							118	4 #5 CONT ADDL
1055	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1056	TR	BF		60	28				16/5	S	22-00							643	#5 @12" O.C VERT
1057	TR	BF		60	2				16/5	S	12-00							25	#5 @12" O.C VERT
1058	TR	BF		60	10				16/5	S	25-04							264	#5 @12" O.C HOR
1059	TR	BF		60	14				16/5	S	28-04							414	#5 @12" O.C HOR
1060	MT	MARK WP-58 (7/4" THICK)																	
1061	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES
1062	TR	BF		60	2*2				16/5	S	40-01							167	2 #5 PERI T&B
1063	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1064	TR	BF		60	2*2			3	16/5	S	14-04							179	2 #5 OPNG ADDL ES
1065	TR	BF		60	2*2			3	16/5	S	7-09							97	2 #5 OPNG ADDL T&B
1066	TR	BF		60	2*4			3	16/5	S	5-00							125	2 #5 DIAG
1067	TR	BF		60	4				16/5	S	40-01							167	4 #5 CONT ADDL
1068	TR	BF		60	34				16/5	S	22-00							780	#5 @12" O.C VERT
1069	TR	BF		60	7				16/5	S	12-00							88	#5 @12" O.C VERT
1070	TR	BF		60	10				16/5	S	31-00							323	#5 @12" O.C HOR
1071	TR	BF		60	14				16/5	S	40-01							585	#5 @12" O.C HOR
1072	MT	MARK WP-59 (7/4" THICK)																	
1073	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES
1074	TR	BF		60	2*2				16/5	S	39-10							166	2 #5 PERI T&B
1075	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1076	TR	BF		60	2*2			3	16/5	S	14-03							178	2 #5 OPNG ADDL ES
1077	TR	BF		60	2*2			2	16/5	S	7-09							65	2 #5 OPNG ADDL T&B
1078	TR	BF		60	2*4			2	16/5	H	5-00							83	2 #5 DIAG
1079	TR	BF		60	2*2				16/5	S	11-00							46	2 #5 OPNG ADDL T&B
1080	TR	BF		60	2*2				16/5	H	5-00							21	2 #5 DIAG
1081	TR	BF		60	2*2				16/5	S	5-00							21	2 #5 DIAG
1082	TR	BF		60	4				16/5	S	39-10							166	4 #5 CONT ADDL
1083	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1084	TR	BF		60	31				16/5	S	22-00							711	#5 @12" O.C VERT
1085	TR	BF		60	6				16/5	S	11-00							69	#5 @12" O.C VERT
1086	TR	BF		60	4				16/5	S	12-00							50	#5 @12" O.C VERT
1087	TR	BF		60	10				16/5	S	27-07							288	#5 @12" O.C HOR
1088	TR	BF		60	14				16/5	S	39-10							582	#5 @12" O.C HOR
1089	TR	BF		60	1				16/5	S	30-10							32	#5 @12" O.C HOR
1090	MT	MARK WP-60 (7/4" THICK)																	
1091	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES
1092	TR	BF		60	2*2				16/5	S	42-08							178	2 #5 PERI T&B

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1093	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1094	TR	BF		60	2*2			3	16/5	S	14-03							178	2 #5 OPNG ADDL ES
1095	TR	BF		60	2*2			2	16/5	S	7-09							65	2 #5 OPNG ADDL T&B
1096	TR	BF		60	2*4			2	16/5	H	5-00							83	2 #5 DIAG
1097	TR	BF		60	2*2				16/5	S	11-00							46	2 #5 OPNG ADDL T&B
1098	TR	BF		60	2*2				16/5	H	5-00							21	2 #5 DIAG
1099	TR	BF		60	2*2				16/5	S	5-00							21	2 #5 DIAG
1100	TR	BF		60	4				16/5	S	42-08							178	4 #5 CONT ADDL
1101	TR	BF		60	34				16/5	S	22-00							780	#5 @12" O.C VERT
1102	TR	BF		60	6				16/5	S	11-00							69	#5 @12" O.C VERT
1103	TR	BF		60	4				16/5	S	12-00							50	#5 @12" O.C VERT
1104	TR	BF		60	10				16/5	S	30-04							316	#5 @12" O.C HOR
1105	TR	BF		60	14				16/5	S	42-08							623	#5 @12" O.C HOR
1106	TR	BF		60	1				16/5	S	30-10							32	#5 @12" O.C HOR
1107	MT	MARK WP-61 (7/4" THICK)																	
1108	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES
1109	TR	BF		60	2*2				16/5	S	46-10							195	2 #5 PERI T&B
1110	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1111	TR	BF		60	2*2				16/5	S	14-03							59	2 #5 OPNG ADDL ES
1112	TR	BF		60	2*2				16/5	S	7-09							32	2 #5 OPNG ADDL T&B
1113	TR	BF		60	2*4				16/5	H	5-00							42	2 #5 DIAG
1114	TR	BF		60	2*2				16/5	S	10-08							44	2 #5 OPNG ADDL ES
1115	TR	BF		60	2*2				16/5	S	8-06							35	2 #5 OPNG ADDL T&B
1116	TR	BF		60	2*2				16/5	H	5-00							21	2 #5 DIAG
1117	TR	BF		60	2*2				16/5	S	5-00							21	2 #5 DIAG
1118	TR	BF		60	4				16/5	S	46-10							195	4 #5 CONT ADDL
1119	TR	BF		60	43				16/5	S	22-00							987	#5 @12" O.C VERT
1120	TR	BF		60	3				16/5	S	14-06							45	#5 @12" O.C VERT
1121	TR	BF		60	3				16/5	S	12-00							38	#5 @12" O.C VERT
1122	TR	BF		60	10				16/5	S	40-02							419	#5 @12" O.C HOR
1123	TR	BF		60	13				16/5	S	46-10							635	#5 @12" O.C HOR
1124	TR	BF		60	1				16/5	S	18-00							19	#5 @12" O.C HOR
1125	MT	MARK WP-62 (7/4" THICK)																	
1126	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES
1127	TR	BF		60	2*2				16/5	S	44-06							186	2 #5 PERI T&B
1128	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1129	TR	BF		60	2*2			3	16/5	S	10-09							135	2 #5 OPNG ADDL ES
1130	TR	BF		60	2*2				16/5	S	8-04							35	2 #5 OPNG ADDL T&B
1131	TR	BF		60	2*2			2	16/5	S	11-06							96	2 #5 OPNG ADDL T&B

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1132	TR	BF		60	2			7	16/5	H	5-00							73	2 #5 DIAG	
1133	TR	BF		60	2			5	16/5	S	5-00							52	2 #5 DIAG	
1134	TR	BF		60	4				16/5	S	44-06							186	4 #5 CONT ADDL	
1135	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN	
1136	TR	BF		60	31				16/5	S	22-00							711	#5 @12" O.C VERT	
1137	TR	BF		60	16				16/5	S	14-06							242	#5 @12" O.C VERT	
1138	TR	BF		60	8				16/5	S	28-00							234	#5 @12" O.C HOR	
1139	TR	BF		60	16				16/5	S	44-06							743	#5 @12" O.C HOR	
1140	MT	MARK WP-63 (7/4" THICK)																		
1141	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES	
1142	TR	BF		60	2*2				16/5	S	39-04							164	2 #5 PERI T&B	
1143	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR	
1144	TR	BF		60	2			4	16/5	S	10-09							90	2 #5 OPNG ADDL	
1145	TR	BF		60	2			2	16/5	S	22-00							92	2 #5 OPNG ADDL	
1146	TR	BF		60	2*2				16/5	S	15-00							63	2 #5 OPNG ADDL T&B	
1147	TR	BF		60	2*2				16/5	S	8-06							35	2 #5 OPNG ADDL T&B	
1148	TR	BF		60	2			8	16/5	H	5-00							83	2 #5 DIAG	
1149	TR	BF		60	2			4	16/5	S	5-00							42	2 #5 DIAG	
1150	TR	BF		60	2*2				19/6	S	22-00							132	2 #6 ADDL EF	
1151	TR	BF		60	23				10/3	L	3-04							29	#3 @12" O.C TIES	
1152	TR	BF		60	4				16/5	S	39-04							164	4 #5 CONT ADDL	
1153	TR	BF		60	4				13/4	H	4-00							11	#4 HAIRPIN	
1154	TR	BF		60	37				16/5	S	22-00							849	#5 @12" O.C VERT	
1155	TR	BF		60	12				16/5	S	14-06							181	#5 @12" O.C VERT	
1156	TR	BF		60	8				16/5	S	32-08							273	#5 @12" O.C HOR	
1157	TR	BF		60	16				16/5	S	39-04							656	#5 @12" O.C HOR	
1158	MT	MARK WP-64 (7/4" THICK)																		
1159	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES	
1160	TR	BF		60	2*2				16/5	S	40-03							168	2 #5 PERI T&B	
1161	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR	
1162	TR	BF		60	2*2				16/5	S	10-09							45	2 #5 OPNG ADDL ES	
1163	TR	BF		60	2*2				16/5	S	11-06							48	2 #5 OPNG ADDL T&B	
1164	TR	BF		60	2			2	16/5	H	5-00							21	2 #5 DIAG	
1165	TR	BF		60	2			2	16/5	S	5-00							21	2 #5 DIAG	
1166	TR	BF		60	4				16/5	S	40-03							168	4 #5 CONT ADDL	
1167	TR	BF		60	4				13/4	H	4-00							11	#4 HAIRPIN	
1168	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN	
1169	TR	BF		60	36				16/5	S	22-00							826	#5 @12" O.C VERT	
1170	TR	BF		60	6				16/5	S	14-06							91	#5 @12" O.C VERT	

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1171	TR	BF		60	8				16/5	S	33-07							280	#5 @12" O.C HOR
1172	TR	BF		60	16				16/5	S	40-03							672	#5 @12" O.C HOR
1173	MT	MARK WP-65 (7/4" THICK)																	
1174	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES
1175	TR	BF		60	2*2				16/5	S	13-09							57	2 #5 PERI T&B
1176	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1177	TR	BF		60	2*2				16/5	S	12-06							52	2 #5 OPNG ADDL ES
1178	TR	BF		60	2*2				16/5	H	10-04							43	2 #5 OPNG ADDL T&B
1179	TR	BF		60	2			3	16/5	H	5-00							31	2 #5 DIAG
1180	TR	BF		60	2				16/5	S	5-00							10	2 #5 DIAG
1181	TR	BF		60	4				16/5	S	13-09							57	4 #5 CONT ADDL
1182	TR	BF		60	9				16/5	S	22-00							207	#5 @12" O.C VERT
1183	TR	BF		60	6				16/5	S	12-07							79	#5 @12" O.C VERT
1184	TR	BF		60	10				16/5	S	7-00							73	#5 @12" O.C HOR
1185	TR	BF		60	13				16/5	S	13-09							186	#5 @12" O.C HOR
1186	MT	MARK WP-66 (7/4" THICK)																	
1187	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES
1188	TR	BF		60	2*2				16/5	S	21-02							88	2 #5 PERI T&B
1189	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1190	TR	BF		60	4				16/5	S	21-02							88	4 #5 CONT ADDL
1191	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1192	TR	BF		60	23				16/5	S	22-00							528	#5 @12" O.C VERT
1193	TR	BF		60	24				16/5	S	21-02							530	#5 @12" O.C HOR
1194	MT	MARK WP-67 (7/4" THICK)																	
1195	TR	BF		60	2*2				16/5	S	22-00							92	2 #5 VERT PERI ES
1196	TR	BF		60	2*2				16/5	S	32-06							136	2 #5 PERI T&B
1197	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1198	TR	BF		60	2*2			5	16/5	S	22-00							459	2 #5 OPNG ADDL ES
1199	TR	BF		60	2*2				16/5	H	7-08							32	2 #5 OPNG ADDL T&B
1200	TR	BF		60	2			5	16/5	S	8-06							89	2 #5 OPNG ADDL TOP
1201	TR	BF		60	2			2	16/5	H	7-10							33	2 #5 OPNG ADDL BOT
1202	TR	BF		60	2				16/5	H	7-00							15	2 #5 OPNG ADDL TOP
1203	TR	BF		60	2			9	16/5	S	5-00							94	2 #5 DIAG
1204	TR	BF		60	2			11	16/5	H	5-00							115	2 #5 DIAG
1205	TR	BF		60	4			2	16/5	S	32-06							271	4 #5 CONT ADDL
1206	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1207	TR	BF		60	23				16/5	H	3-08							88	#5 @12" O.C ADDL DWL
1208	TR	BF		60	17				16/5	S	22-00							390	#5 @12" O.C VERT
1209	TR	BF		60	4				16/5	S	15-06							65	#5 @12" O.C VERT

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1210	TR	BF		60	9				16/5	S	14-04							135	#5 @12" O.C VERT
1211	TR	BF		60	14				16/5	S	32-06							475	#5 @12" O.C HOR
1212	TR	BF		60	3				16/5	S	21-07							68	#5 @12" O.C HOR
1213	TR	BF		60	4				16/5	S	13-08							57	#5 @12" O.C HOR
1214	TR	BF		60	2				16/5	S	24-08							51	#5 @12" O.C HOR
1215	MT	MARK WP-68 (7/4" THICK)																	
1216	TR	BF		60	2*2				16/5	S	18-08							78	2 #5 VERT PERI ES
1217	TR	BF		60	2*2				16/5	S	30-01							126	2 #5 PERI T&B
1218	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1219	TR	BF		60	2*2				16/5	S	10-09							45	2 #5 OPNG ADDL ES
1220	TR	BF		60	2*2				16/5	H	8-04							35	2 #5 OPNG ADDL T&B
1221	TR	BF		60	2*4				16/5	S	5-00							42	2 #5 DIAG
1222	TR	BF		60	4				16/5	S	30-01							126	4 #5 CONT ADDL
1223	TR	BF		60	28				16/5	S	18-08							545	#5 @12" O.C VERT
1224	TR	BF		60	4				16/5	S	11-01							46	#5 @12" O.C VERT
1225	TR	BF		60	8				16/5	S	26-06							221	#5 @12" O.C HOR
1226	TR	BF		60	12				16/5	S	30-01							377	#5 @12" O.C HOR
1227	MT	MARK WP-69 (7/4" THICK)																	
1228	TR	BF		60	2*2				16/5	S	18-08							78	2 #5 VERT PERI ES
1229	TR	BF		60	2*2				16/5	S	15-02							63	2 #5 PERI T&B
1230	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1231	TR	BF		60	2*2			2	16/5	S	15-00							125	2 #5 OPNG ADDL ES
1232	TR	BF		60	2*2			2	16/5	S	14-03							119	2 #5 OPNG ADDL T&B
1233	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
1234	TR	BF		60	4				16/5	S	15-02							63	4 #5 CONT ADDL
1235	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1236	TR	BF		60	14				16/5	S	18-08							273	#5 @12" O.C VERT
1237	TR	BF		60	3				16/5	S	7-08							24	#5 @12" O.C VERT
1238	TR	BF		60	10				16/5	S	10-08							111	#5 @12" O.C HOR
1239	TR	BF		60	9				16/5	S	15-02							142	#5 @12" O.C HOR
1240	MT	MARK WP-70 (7/4" THICK)																	
1241	TR	BF		60	2*2				16/5	S	18-08							78	2 #5 VERT PERI ES
1242	TR	BF		60	2*2				16/5	S	26-05							110	2 #5 PERI T&B
1243	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1244	TR	BF		60	2*2			2	16/5	S	15-00							125	2 #5 OPNG ADDL ES
1245	TR	BF		60	2*2			2	16/5	S	14-03							119	2 #5 OPNG ADDL T&B
1246	TR	BF		60	2*4			2	16/5	S	5-00							83	2 #5 DIAG
1247	TR	BF		60	4				16/5	S	26-05							110	4 #5 CONT ADDL
1248	TR	BF		60	24				16/5	S	18-08							467	#5 @12" O.C VERT

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1249	TR	BF		60	4				16/5	S	7-09							32	#5 @12" O.C VERT
1250	TR	BF		60	10				16/5	S	21-08							226	#5 @12" O.C HOR
1251	TR	BF		60	9				16/5	S	26-05							248	#5 @12" O.C HOR
1252	MT	MARK WP-71 (7/4" THICK)																	
1253	TR	BF		60	2*2				16/5	S	18-08							78	2 #5 VERT PERI ES
1254	TR	BF		60	2*2				16/5	S	20-00							83	2 #5 PERI T&B
1255	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1256	TR	BF		60	2*2			3	16/5	S	15-00							188	2 #5 OPNG ADDL ES
1257	TR	BF		60	2*2			3	16/5	S	14-03							178	2 #5 OPNG ADDL T&B
1258	TR	BF		60	2*4			3	16/5	S	5-00							125	2 #5 DIAG
1259	TR	BF		60	4				16/5	S	20-00							83	4 #5 CONT ADDL
1260	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1261	TR	BF		60	16				16/5	S	18-08							312	#5 @12" O.C VERT
1262	TR	BF		60	5				16/5	S	7-10							41	#5 @12" O.C VERT
1263	TR	BF		60	11				16/5	S	13-03							152	#5 @12" O.C HOR
1264	TR	BF		60	9				16/5	S	20-00							188	#5 @12" O.C HOR
1265	MT	MARK WP-72 (7/4" THICK)																	
1266	TR	BF		60	2*2				16/5	S	18-08							78	2 #5 VERT PERI ES
1267	TR	BF		60	2*2				16/5	S	26-10							112	2 #5 PERI T&B
1268	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1269	TR	BF		60	4				16/5	S	26-10							112	4 #5 CONT ADDL
1270	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1271	TR	BF		60	28				16/5	S	18-08							545	#5 @12" O.C VERT
1272	TR	BF		60	20				16/5	S	26-10							560	#5 @12" O.C HOR
1273	MT	MARK WP-73 (7/4" THICK)																	
1274	TR	BF		60	2*2				16/5	S	11-04							47	2 #5 VERT PERI ES
1275	TR	BF		60	2*2				16/5	S	30-00							125	2 #5 PERI T&B
1276	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1277	TR	BF		60	2*2				16/5	S	10-09							45	2 #5 OPNG ADDL ES
1278	TR	BF		60	2*2				16/5	S	8-04							35	2 #5 OPNG ADDL T&B
1279	TR	BF		60	2*2				16/5	S	5-00							21	2 #5 DIAG
1280	TR	BF		60	2*2				16/5	H	5-00							21	2 #5 DIAG
1281	TR	BF		60	35				16/5	S	11-04							414	#5 @12" O.C VERT
1282	TR	BF		60	3				16/5	S	3-09							12	#5 @12" O.C VERT
1283	TR	BF		60	8				16/5	S	26-06							221	#5 @12" O.C HOR
1284	TR	BF		60	6				16/5	S	30-00							188	#5 @12" O.C HOR
1285	MT	MARK WP-74 (7/4" THICK)																	
1286	TR	BF		60	2*2				16/5	S	11-04							47	2 #5 VERT PERI ES
1287	TR	BF		60	2*2				16/5	S	25-07							107	2 #5 PERI T&B

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1288	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1289	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1290	TR	BF		60	27				16/5	S	11-04							319	#5 @12" O.C VERT
1291	TR	BF		60	13				16/5	S	25-07							347	#5 @12" O.C HOR
1292	MT	MARK WP-75 (7/4" THICK)																	
1293	TR	BF		60	2*2				16/5	S	11-04							47	2 #5 VERT PERI ES
1294	TR	BF		60	2*2				16/5	S	20-01							84	2 #5 PERI T&B
1295	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1296	TR	BF		60	22				16/5	S	11-04							260	#5 @12" O.C VERT
1297	TR	BF		60	13				16/5	S	20-01							272	#5 @12" O.C HOR
1298	MT	MARK WP-76 (7/4" THICK)																	
1299	TR	BF		60	2*2				16/5	S	9-04							39	2 #5 VERT PERI ES
1300	TR	BF		60	2*2				16/5	S	25-03							105	2 #5 PERI T&B
1301	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1302	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1303	TR	BF		60	27				16/5	S	9-04							263	#5 @12" O.C VERT
1304	TR	BF		60	12				16/5	S	25-03							316	#5 @12" O.C HOR
1305	MT	MARK WP-77 (7/4" THICK)																	
1306	TR	BF		60	2*2				16/5	S	9-04							39	2 #5 VERT PERI ES
1307	TR	BF		60	2*2				16/5	S	13-10							58	2 #5 PERI T&B
1308	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1309	TR	BF		60	15				16/5	S	9-04							146	#5 @12" O.C VERT
1310	TR	BF		60	11				16/5	S	13-10							159	#5 @12" O.C HOR
1311	MT	MARK WP-78 (7/4" THICK)																	
1312	TR	BF		60	2*2				16/5	S	11-04							47	2 #5 VERT PERI ES
1313	TR	BF		60	2*2				16/5	S	34-09							145	2 #5 PERI T&B
1314	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1315	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1316	TR	BF		60	36				16/5	S	11-04							425	#5 @12" O.C VERT
1317	TR	BF		60	13				16/5	S	34-09							471	#5 @12" O.C HOR
1318	MT	MARK WP-79 (7/4" THICK)																	
1319	TR	BF		60	2*2				16/5	S	11-04							47	2 #5 VERT PERI ES
1320	TR	BF		60	2*2				16/5	S	20-01							84	2 #5 PERI T&B
1321	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1322	TR	BF		60	2*2				16/5	S	10-09							45	2 #5 OPNG ADDL ES
1323	TR	BF		60	2*2				16/5	S	13-04							56	2 #5 OPNG ADDL T&B
1324	TR	BF		60	2*2				16/5	S	5-00							21	2 #5 DIAG
1325	TR	BF		60	2*2				16/5	H	5-00							21	2 #5 DIAG
1326	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1327	TR	BF		60	14				16/5	S	11-04							165	#5 @12" O.C VERT
1328	TR	BF		60	9				16/5	S	3-10							36	#5 @12" O.C VERT
1329	TR	BF		60	8				16/5	S	11-04							95	#5 @12" O.C HOR
1330	TR	BF		60	6				16/5	S	20-01							126	#5 @12" O.C HOR
1331	MT	MARK WP-80 (7/4" THICK)																	
1332	TR	BF		60	2*2				16/5	S	11-04							47	2 #5 VERT PERI ES
1333	TR	BF		60	2*2				16/5	S	25-07							107	2 #5 PERI T&B
1334	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1335	TR	BF		60	2*2				16/5	S	10-09							45	2 #5 OPNG ADDL ES
1336	TR	BF		60	2*2				16/5	S	13-04							56	2 #5 OPNG ADDL T&B
1337	TR	BF		60	2*2				16/5	S	5-00							21	2 #5 DIAG
1338	TR	BF		60	2*2				16/5	H	5-00							21	2 #5 DIAG
1339	TR	BF		60	7				13/4	H	4-00							19	#4 HAIRPIN
1340	TR	BF		60	20				16/5	S	11-04							236	#5 @12" O.C VERT
1341	TR	BF		60	9				16/5	S	3-10							36	#5 @12" O.C VERT
1342	TR	BF		60	8				16/5	S	16-10							140	#5 @12" O.C HOR
1343	TR	BF		60	6				16/5	S	25-07							160	#5 @12" O.C HOR
1344	MT	MARK WP-81 (7/4" THICK)																	
1345	TR	BF		60	2*2				16/5	S	11-04							47	2 #5 VERT PERI ES
1346	TR	BF		60	2*2				16/5	S	34-09							145	2 #5 PERI T&B
1347	TR	BF		60	2*4				16/5	H	4-00							33	2 #5 COR
1348	TR	BF		60	37				16/5	S	11-04							437	#5 @12" O.C VERT
1349	TR	BF		60	13				16/5	S	34-09							471	#5 @12" O.C HOR
1350	MT	PRE-ENGINEERED RIGID STEEL FRAME																	
1351	MT	COLUMN FOOTING																	
1352	MT	MARK-SF-6.0																	
1353	TR	BF		60	7*4			2	19/6	S	6-00							505	7 #6 EW T&B
1354	TR	BF		60	2*2			2	19/6	S	25-00							300	2 #6 HAIRPIN BAR
1355	TR	BF		60	4			2	13/4	L	5-02							28	#4 STANDEE
1356	MT	MARK-SF-8.0																	
1357	TR	BF		60	9*4			2	19/6	S	8-00							865	9 #6 EW TB
1358	TR	BF		60	2*2			2	19/6	S	25-00							300	2 #6 HAIRPIN BAR
1359	TR	BF		60	4			2	13/4	L	5-02							28	#4 STANDEE
1360	MT	CONCRETE COLUMN DWLS																	
1361	TR	BF		60	4			4	16/5	S	3-08							61	4 #5 D&E
1362	MT	CONCRETE COLUMN																	
1363	MT	SEC (1/S510)																	
1364	TR	BF		60	4			4	16/5	S	10-00							167	4 #5 VERT
1365	TR	BF		60	11			4	10/3	L	4-10							80	#3 @12" O.C TIES

CLAY SPRINGS ELEMENTARY SCHOOL

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1366	MT	CANOPY CONCRETE COLUMN																	
1367	MT	SEC (4/S510)																	
1368	TR	BF		60	6			2	16/5	S	10-00							125	6 #5 D&E
1369	TR	BF		60	11			2	10/3	L	9-04							77	#3 @12" O.C TIES
1370	MT	SITWORK																	
1371	MT	6' CONCRETE PAVEMENT = 1140 SQ.FT																	
1372	TR	BF		60	83				10/3	S	20-00							624	#3 @18" O.C EW
1373	TI	Pcs			75				3" IHC WITH SAND PLATES									0	6" CONCRETE PAVEMENT = 1140 SF
1374	MT	4" CONCRETE SIDEWALK = 25460 SQ.FT																	
1375	TR	BF		60	1834				10/3	S	20-00							13,792	#3 @18" O.C EW
1376	TI	Pcs			1592				2" IHC WITH SAND PLATES									0	4" CONCRETE SIDEWALK = 25460 SF
1377	MT	DUMPSTER PAD = 350 SQ.FT																	
1378	TR	BF		60	8				13/4	S	24-08							132	#4 @12" O.C LW
1379	TR	BF		60	25				13/4	S	14-00							234	#4 @12" O.C SW
1380	MT	ORNAMENTAL CONCRETE GATE																	
1381	MT	COLUMN FOOTING																	
1382	TR	BF		60	3*2			2	16/5	S	5-00							63	3 #5 T&B
1383	TR	BF		60	5			2	13/4	L	9-04							62	#4 @16" O.C STIRR
1384	MT	CONCRETE COLUMN DWLS																	
1385	TR	BF		60	8			2	19/6	H	6-03							150	#6 DOWEL
1386	TR	BF		60	2			2	16/5	H	6-01							25	#5 DOWEL
1387	MT	CONCRETE COLUMN																	
1388	TR	BF		60	8			2	19/6	H	12-04							296	8 #6 VERT
1389	TR	BF		60	2			2	16/5	H	12-02							51	2 #5 VERT
1390	TR	BF		60	12			2	13/4	L	11-10							190	#4 @12" O.C TIES
1391	TI	lf			46				1½" COLUMN SPACER									0	
1392	MT	CONCRETE SLAB																	
1393	TR	BF		60	4				16/5	H	12-10							54	#5 @12" O.C CONT TOP
1394	TR	BF		60	4				16/5	S	11-02							47	#5 @12" O.C CONT BOT
1395	TR	BF		60	12*2				16/5	S	2-08							67	#5 @12" O.C TEMP T&B
1396	TR	BF		60	8				13/4	L	4-10							26	#4 STANDEE
1397	TI	lf			10				1½" SLAB BOLSTER									0	12" CONCRETE SLAB = 30 SQ FT

CLAY SPRINGS ELEMENTARY SCHOOL

Segment: BUILDING CONCRETE REINF

Total for COLUMN FOOTING WITH PIER

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
10/3	12	0	0	12	0
13/4	19	0	0	19	0
16/5	3,774	3,774	0	0	0
19/6	3,435	3,375	60	0	0
	<u>7,240</u>	<u>7,149</u>	<u>60</u>	<u>31</u>	<u>0</u>

** Grade 60, Black **

Total for WALL FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
13/4	7,213	0	0	7,213	0
16/5	17,682	15,977	1,705	0	14,392
	<u>24,895</u>	<u>15,977</u>	<u>1,705</u>	<u>7,213</u>	<u>14,392</u>

** Grade 60, Black **

CLAY SPRINGS ELEMENTARY SCHOOL

Total for SLAB ON GRADE

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
13/4	59,964	59,863	74	27	0
16/5	2,034	1,499	535	0	167
19/6	577	0	577	0	0
	<u>62,575</u>	<u>61,362</u>	<u>1,186</u>	<u>27</u>	<u>167</u>

**** Grade 60, Black ****

****** Miscellaneous Item Summary ******

Comments, Etc

2" IHC WITH SAND PLATES	2" IHC WITH SAND PLATES	3,415.000 Pcs	=	3,415.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
							= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

CLAY SPRINGS ELEMENTARY SCHOOL

Total for 2ND FLOOR COMPOSITE METAL DECK SLAB

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
13/4	33,748	33,684	64	0	0
16/5	1,594	1,594	0	0	0
	<u>35,342</u>	<u>35,278</u>	<u>64</u>	<u>0</u>	<u>0</u>

**** Grade 60, Black ****

****** Miscellaneous Item Summary ******

Comments, Etc

2½" HCM	2½" HCM	1,795.000 Pcs	=	1,795.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
6X6 W2.9XW2.9 WWF	6X6 W2.9XW2.9 WWF	12.000 Sheets	=	12.000 Sheets	@	0.000 / Sheets	= \$	0.00	0 Lbs	
Subtotal								= \$	0.00	0 Lbs
Grand Total								= \$	0.00	0 Lbs

Total for TILT UP PANELS

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
10/3	4,348	0	0	4,348	0
13/4	875	0	875	0	0
16/5	157,807	152,416	5,391	0	0
19/6	10,946	10,946	0	0	0
	<u>173,976</u>	<u>163,362</u>	<u>6,266</u>	<u>4,348</u>	<u>0</u>

**** Grade 60, Black ****

CLAY SPRINGS ELEMENTARY SCHOOL

Total for COLUMN FOOTING

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
13/4	56	0	0	56	0
16/5	61	61	0	0	0
19/6	1,970	1,970	0	0	0
	<u>2,087</u>	<u>2,031</u>	<u>0</u>	<u>56</u>	<u>0</u>

**** Grade 60, Black ****

Total for CONCRETE COLUMN

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
10/3	80	0	0	80	0
16/5	167	167	0	0	0
	<u>247</u>	<u>167</u>	<u>0</u>	<u>80</u>	<u>0</u>

**** Grade 60, Black ****

Total for CANOPY CONCRETE COLUMN

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
10/3	77	0	0	77	0
16/5	125	125	0	0	0
	<u>202</u>	<u>125</u>	<u>0</u>	<u>77</u>	<u>0</u>

**** Grade 60, Black ****

CLAY SPRINGS ELEMENTARY SCHOOL

Total for Segment: BUILDING CONCRETE REINF

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
10/3	4,517	0	0	4,517	0
13/4	101,875	93,547	1,013	7,315	0
16/5	183,244	175,613	7,631	0	14,559
19/6	16,928	16,291	637	0	0
	<u>306,564</u>	<u>285,451</u>	<u>9,281</u>	<u>11,832</u>	<u>14,559</u>

**** Grade 60, Black ****

****** Miscellaneous Item Summary ******

Comments, Etc

2" IHC WITH SAND PLATES	2" IHC WITH SAND PLATES	3,415.000 Pcs	=	3,415.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
2½" HCM	2½" HCM	1,795.000 Pcs	=	1,795.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
6X6 W2.9XW2.9 WWF	6X6 W2.9XW2.9 WWF	12.000 Sheets	=	12.000 Sheets	@	0.000 / Sheets	= \$	0.00	0 Lbs	
Subtotal								= \$	0.00	0 Lbs
Grand Total								= \$	0.00	0 Lbs

CLAY SPRINGS ELEMENTARY SCHOOL

Segment: BUILDING SITEWORK CONCRETE REINF

Total for CONCRETE PAVEMENT

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
10/3	624	624	0	0	0
	624	624	0	0	0

** Grade 60, Black **

**** Miscellaneous Item Summary ****

Comments, Etc

3" IHC WITH SAND PLATES	3" IHC WITH SAND PLATES	75.000 Pcs	=	75.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
							= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

Total for CONCRETE SIDEWALK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
10/3	13,792	13,792	0	0	0
	13,792	13,792	0	0	0

** Grade 60, Black **

**** Miscellaneous Item Summary ****

Comments, Etc

2" IHC WITH SAND PLATES	2" IHC WITH SAND PLATES	1,592.000 Pcs	=	1,592.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
							= \$	0.00	0 Lbs
Subtotal							= \$	0.00	0 Lbs
Grand Total							= \$	0.00	0 Lbs

CLAY SPRINGS ELEMENTARY SCHOOL

Total for DUMPSTER PAD

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
13/4	366	366	0	0	0
	<u>366</u>	<u>366</u>	<u>0</u>	<u>0</u>	<u>0</u>

** Grade 60, Black **

Total for COLUMN FOOTING

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
13/4	62	0	0	62	0
16/5	63	63	0	0	0
	<u>125</u>	<u>63</u>	<u>0</u>	<u>62</u>	<u>0</u>

** Grade 60, Black **

CLAY SPRINGS ELEMENTARY SCHOOL

Total for CONCRETE COLUMN

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
13/4	190	0	0	190	0
16/5	76	0	76	0	0
19/6	446	0	446	0	0
	<u>712</u>	<u>0</u>	<u>522</u>	<u>190</u>	<u>0</u>

**** Grade 60, Black ****

****** Miscellaneous Item Summary ******

Comments, Etc

1½" COLUMN SPACER	1½" COLUMN SPACER	46.000	lf	=	46.000	lf	@	0.000	/	lf	= \$	0.00	0	Lbs
											= \$	0.00	0	Lbs
Subtotal											= \$	0.00	0	Lbs
Grand Total											= \$	0.00	0	Lbs

Total for CONCRETE SLAB

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
13/4	26	0	0	26	0
16/5	168	114	54	0	0
	<u>194</u>	<u>114</u>	<u>54</u>	<u>26</u>	<u>0</u>

**** Grade 60, Black ****

****** Miscellaneous Item Summary ******

Comments, Etc

1½" SLAB BOLSTER	1½" SLAB BOLSTER	10.000	lf	=	10.000	lf	@	0.000	/	lf	= \$	0.00	0	Lbs
											= \$	0.00	0	Lbs
Subtotal											= \$	0.00	0	Lbs
Grand Total											= \$	0.00	0	Lbs

CLAY SPRINGS ELEMENTARY SCHOOL

Total for Segment: BUILDING SITEWORK CONCRETE REINF

****** Rebar Weight Summary (Lbs) ******

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
10/3	14,416	14,416	0	0	0
13/4	644	366	0	278	0
16/5	307	177	130	0	0
19/6	446	0	446	0	0
	<u>15,813</u>	<u>14,959</u>	<u>576</u>	<u>278</u>	<u>0</u>

**** Grade 60, Black ****

****** Miscellaneous Item Summary ******

Comments, Etc

1½" COLUMN SPACER	1½" COLUMN SPACER	46.000	lf	=	46.000	lf	@	0.000	/	lf	= \$	0.00	0	Lbs
1½" SLAB BOLSTER	1½" SLAB BOLSTER	10.000	lf	=	10.000	lf	@	0.000	/	lf	= \$	0.00	0	Lbs
2" IHC WITH SAND PLATES	2" IHC WITH SAND PLATES	1,592.000	Pcs	=	1,592.000	Pcs	@	0.000	/	Pcs	= \$	0.00	0	Lbs
3" IHC WITH SAND PLATES	3" IHC WITH SAND PLATES	75.000	Pcs	=	75.000	Pcs	@	0.000	/	Pcs	= \$	0.00	0	Lbs
Subtotal											= \$	0.00	0	Lbs
Grand Total											= \$	0.00	0	Lbs

CLAY SPRINGS ELEMENTARY SCHOOL

Estimate Totals

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
10/3	18,933	14,416	0	4,517	0
13/4	102,519	93,913	1,013	7,593	0
16/5	183,551	175,790	7,761	0	14,559
19/6	17,374	16,291	1,083	0	0
	<u>322,377</u>	<u>300,410</u>	<u>9,857</u>	<u>12,110</u>	<u>14,559</u>

CLAY SPRINGS ELEMENTARY SCHOOL

Estimate Totals

**** Miscellaneous Item Summary ****

Comments, Etc

1½" COLUMN SPACER	1½" COLUMN SPACER	46.000	If	=	46.000	If	@	0.000	/	If	= \$	0.00	0	Lbs
1½" SLAB BOLSTER	1½" SLAB BOLSTER	10.000	If	=	10.000	If	@	0.000	/	If	= \$	0.00	0	Lbs
2" IHC WITH SAND PLATES	2" IHC WITH SAND PLATES	5,007.000	Pcs	=	5,007.000	Pcs	@	0.000	/	Pcs	= \$	0.00	0	Lbs
2½" HCM	2½" HCM	1,795.000	Pcs	=	1,795.000	Pcs	@	0.000	/	Pcs	= \$	0.00	0	Lbs
3" IHC WITH SAND PLATES	3" IHC WITH SAND PLATES	75.000	Pcs	=	75.000	Pcs	@	0.000	/	Pcs	= \$	0.00	0	Lbs
6X6 W2.9XW2.9 WWF	6X6 W2.9XW2.9 WWF	12.000	Sheets	=	12.000	Sheets	@	0.000	/	Sheets	= \$	0.00	0	Lbs
Subtotal											= \$	0.00	0	Lbs
Grand Total											= \$	0.00	0	Lbs